



TRANSPLANTER  
U.S. PRODUCTS

[www.transplanter.com](http://www.transplanter.com)

**HOLLAND ROTARY TRANSPLANTER UNITS**

All Rotary One Transplanter units include as standard equipment: Polymer furrow opener, polymer skid sled, six plant feeding cups, spacing sprockets, footrests, rubber packing wheels, continuous flow water valve.



**When ordering Rotary Transplanter units, specify your choice of the following:**

- Steel packing wheels in lieu of Rubber packing wheels.
- Start-Rite metered water valve in lieu of continuous flow water valve.
- Fiberglass molded seat or cushion padded seat
- Specify if rotary planter unit is to be used with Positive Drive Fertilizer attachments

PART NO.	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
300001	Rotary-One Transplanter unit with rubber packing wheels and CF water valve less seat	275 lbs	\$ 5,031.00
301001	Rotary-One Transplanter unit with rubber packing wheels and CF water valve with fibreglass molded seat	275 lbs	\$ 5,191.00
302001	Rotary-One Transplanter unit with rubber packing wheels and CF water valve with cushion padded seat	275 lbs	\$ 5,239.00
<b>OPTIONS IN LIEU OF STANDARD EQUIPMENT</b>			
**	Steel packing wheel with scraper blade	ADD	\$ 176.00
**	SR metered water valve	ADD	\$ 224.00
<b>OPTIONS AND ACCESSOREIS FOR ROTARY-ONE TRANSPLANTER</b>			
39418	15" Straight coulter blade attachment	30 lbs	\$ 336.00
39422	Cultivator attachment (for single row units only)	85 lbs	\$ 352.00
39424	Bed leveller for use with single row 3-point hitches less fertilizer attachment	25 lbs	\$ 208.00
39425	Bed leveller for use with single row mounted fertilizer Attachment	25 lbs	\$ 208.00
39426	Rotary - 1 table complete	25 lbs	\$ 1,682.00
39602	55 gallon poly barrel w/ galvanized liner	50 lbs	\$ 513.00
<b>PLANT HOLDING TRAYS</b>			
39408	Center Spin 4-tray holder	90 lbs	\$ 529.00
39409	Side slide 2-tray holder (pair)	65 lbs	\$ 433.00
39412	Top Side slide 2-tray top holder (pair, requires a #39409)	30 lbs	\$ 320.00
39410	Center slide 4-tray holder	50 lbs	\$ 385.00
39411	Top Center slide 4-tray top holder (requires a #39410)	30 lbs	\$ 240.00
39414	Side box holder, with boxes (pair) (for loose plug/float plants not in trays)	30 lbs	\$ 240.00
<b>STANDARD DRIVE WHEEL HITCHES</b>			
39401	Three point Category 1 hitch	105 lbs	\$ 921.00
39402	Three point Category 1 hitch with barrel mounting brackets	150 lbs	\$ 1,049.00
39403	2-1/2" diamond toolbar hitch	130 lbs	\$ 1,041.00
39429	4" x 4" toolbar hitch	130 lbs	\$ 1,009.00
39404	4" x 7" toolbar hitch	130 lbs	\$ 1,009.00

Note: Product not in stock is subject to freight charges.



TRANSPLANTER  
U.S. PRODUCTS

[www.transplanter.com](http://www.transplanter.com)

STANDARD DRIVE WHEEL HITCHES			
PART NO	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
39406	Mounting bracket for use with mounted fertilizer attachments	105 lbs	\$ 841.00
39405	Mounting bracket for main frames not using fertilizer attachments	150 lbs	\$ 1,057.00
39407	Mounting bracket for 1302HC & 1304HC main frame using fertilizer	130 lbs	\$ 1,226.00
39420	Mounting bracket for 1302 main frame using fertilizer attachment	130 lbs	\$ 1,266.00
<b>UNIT TOOLBAR MOUNTED SHORT HITCHES</b> FOR USE WITH GROUND DRIVE			
39431	2-1/4" diamond toolbar hitch	65 lbs	\$ 433.00
39433	4" x 4" toolbar hitch	65 lbs	\$ 417.00
39430	4" x 7" toolbar hitch	65 lbs	\$ 417.00
<b>TOOLBAR MOUNTED SHORT GROUND DRIVE SYSTEM</b> WITH 6:70 X 15			
39460	Two row center drive system for 4" x 7" toolbar ((1) 6:70x15 tire)	250 lbs	\$ 1,266.00
39467	Two row center drive system for 4" x 4" toolbar ((1) 6:70x15 tire)	250 lbs	\$ 1,266.00
39461	Two row drive system for 2-1/4" diamond toolbar ((2) 6:70x15 tire)	400 lbs	\$ 2,163.00
39462	Two row drive system for 4" x 4" toolbar ((2) 6:70x15 tire)	400 lbs	\$ 2,163.00
39464	Two row drive system for 4" x 7" toolbar ((2) 6:70x15 tire)	400 lbs	\$ 2,163.00
39463	Four row center drive system for 4" x 4" toolbar ((2) 6:70x15 tire)	400 lbs	\$ 2,291.00
39465	Four row center drive system for 4" x 7" toolbar ((2) 6:70x15 tire)	400 lbs	\$ 2,291.00
<b>FERTILIZER DRIVEN SHORT HITCH</b> (REQUIRES 1/ROW)			
39434	Hitch for use with mounted positive drive fertilizer attachment only	65 lbs	\$ 441.00
39459	1302 H C short drive with hitches		\$ 1,682.00

Note: Product not in stock is subject to freight charges.



[www.transplanter.com](http://www.transplanter.com)

**Mounted Fertilizer Attachments For Use With Model 1500 & Rotary 1 Transplanters:** Attachments consist of galvanized hoppers, mounting frames, disc openers, and D.C. rims less tires. (All attachments require (1) pair tires.) **Does not include toolbar or tires (see 39652 below).**

STANDARD DRIVE TRACTOR MOUNTED FERTILIZER ATTACHMENTS				
PART NO 2" AUGER	PART NO 1" AUGER	DESCRIPTION 3PT HITCH/TOOLBAR MOUNTED FERTILIZER	WEIGHT	LIST PRICE FRT EXTRA
39801	39821	One row 3-Point hitch mounted (with hitch)	300 lbs	\$ 2,548.00
39802	39822	Two row 2-1/4" toolbar mounted	600 lbs	\$ 4,767.00
39803	39823	Two row 4" x 7" toolbar mounted	600 lbs	\$ 4,767.00
39812	39824	Two row 4" x 4" toolbar mounted	600 lbs	\$ 4,767.00
39804	39825	Four row 4" x 7" toolbar mounted (specify row sizes)	1200 lbs	\$ 8,748.00
39818	39826	Four row 4" x 7" toolbar mounted (specify row sizes)	1200 lbs	\$ 8,748.00

The above fertilizer attachments require 1- #39406 Hitch for each row when used with Rotary-1 Transplanter

POSITIVE DRIVE TRACTOR MOUNTED FERTILIZER ATTACHMENTS				
-------------------------------------------------------	--	--	--	--

Positive drive fertilizer attachments have the additional feature that the drive wheels of the fertilizer attachment also drive the planting mechanism for consistent uniform plant spacing.

PART NO 2" AUGER	PART NO 1" AUGER	DESCRIPTION 3PT HITCH/TOOLBAR MOUNTED FERTILIZER	WEIGHT	LIST PRICE FRT EXTRA
39839	39840	One row 3-Point hitch mounted (with hitch)	NA	\$ 2,740.00
39813	39834	Two row 2-1/4" toolbar mounted	615 lbs	\$ 5,159.00
39815	39836	Two row 4" x 7" toolbar mounted	615 lbs	\$ 5,159.00
39814	39835	Two row 4" x 4" toolbar mounted	615 lbs	\$ 5,159.00
39817	39838	Four row 4" x 7" toolbar mounted (specify row sizes)	1230 lbs	\$ 9,469.00
39816	39837	Four row 4" x 7" toolbar mounted (specify row sizes)	1230 lbs	\$ 9,469.00

The above fertilizer attachments require 1-#39434 Hitch for each row when used with Rotary-1 Transplanter

39652		6:70 X 15 traction lug tire for above fertilizer attachments (pair)	NA	\$ 449.00
39819		4-row FA to FA-PD conversion kit	NA	\$ 1,041.00
39820		2-row FA to FA-PD conversion kit	NA	\$ 641.00
39841		Fert hopper assembly complete	NA	\$ 1,394.00
39843		Jumbo hopper assembly complete	NA	\$ 1,570.00
ILJHFA		Jumbo fertilizer hoppers (325#) in lieu of standard (per row)	NA	\$ 352.00

TRACTOR DRAWN MAIN FRAME MOUNTED FERTILIZER ATTACHMENTS				
---------------------------------------------------------	--	--	--	--

PART NO 2" AUGER	PART NO 1" AUGER	DESCRIPTION 3PT HITCH/TOOLBAR MOUNTED FERTILIZER	WEIGHT	LIST PRICE FRT EXTRA
39806	39828	Single row for Model 1301 main frame mount	150 lbs	\$ 2,416.00
39805	39827	Single row for Model 1700 main frame mount	150 lbs	\$ 2,416.00
39809	39831	Two row for Model 1302HC main frame mount	325 lbs	\$ 4,374.00
39807	39830	Two row for Model 1302 main frame mount	325 lbs	\$ 4,374.00
39808	39829	Two row for Model 1900 main frame mount	300 lbs	\$ 4,374.00
39810	39833	Four row for Model 1304HC main frame mount (specify row widths)	650 lbs	\$ 8,149.00
39811	39832	Four row for Model 1100 main frame mount (specify row widths)	600 lbs	\$ 8,498.00
39819		4-Row FA to FA-PD conversion kit (tractor mounted)	NA	\$ 1,091.00
39820		2-Row FA to FA-PD conversion kit (tractor mounted)	NA	\$ 683.00
ILJHFA		Jumbo fertilizer hoppers (325#) in lieu of standard (per row)	350 lbs	\$ 359.00

Note: Product not in stock is subject to freight charges.



[www.transplanter.com](http://www.transplanter.com)

All **Models 1500, FWD1500 & 1600** conventional transplanter units include as standard equipment: Plant boxes and stands, footrests, water valve, furrow opener, steel pack wheels, spacing sprockets and plant holders. Model FWD 1500 transplanter units also include jackshaft assembly on transplanter unit.

When ordering conventional transplanter units, specify your choice of the following:

- Round point (lighter soil) or blunt point (heavy soil)
- P54, P54S, P54S3, or P54P plant holders
- SR metered water valve or CF (continuous flow) water valve – **Note:** Units with more than 10 plant holders on disc are only available with CF water valves.
- Standard width or adjustable plant boxes and stands. **Note:** Adjustable plant boxes and stands are required on multi-row planters with row widths less than 40".



1500 & 1600 CONVENTIONAL TRANSPLANTER UNITS & MOUNTED HITCHES			
PART NO	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
<b>MODEL 1500 TRANSPLANTER UNIT complete with:</b>			
50000	6, 8, 10 plant holders (specify) on chain drive arrangement	300 lbs	\$ 2,451.00
50100	12 plant holders on chain drive arrangement	300 lbs	\$ 2,483.00
50200	8 or 10 plant holders (specify) on disc drive arrangement	300 lbs	\$ 2,483.00
50300	12, 16, or 20 plant holders (specify) on disc drive arrangement	300 lbs	\$ 2,533.00
59000	<b>Model FWD1500 Jackshaft Kit necessary for use with FWD Unit</b> add jackshaft price to above transplanter unit prices	NA	\$ 333.00
56000	<b>Model 1500 Positive Drive</b> unit necessary for use with Positive mounted fertilizer attachment –add to above prices	NA	\$ 333.00
<b>MODEL 1600 TRANSPLANTER UNIT complete with:</b>			
51000	6, 8, or 10 plant holders (specify) on chain drive arrangement	300 lbs	\$ 2,451.00
51100	12 plant holders on chain drive arrangement	300 lbs	\$ 2,483.00
51200	8 or 10 plant holders (specify) on disc drive arrangement	300 lbs	\$ 2,483.00
51300	12, 16, or 20 plant holders (specify) on disc drive arrangement	300 lbs	\$ 2,532.00
	<b>MODEL 1600N NARROW ROW TRANSPLANTER</b> for multi row 18" Or wider 6,8, or 10 plant holders on disc, top mounted plant box, With water valve (requires one seat and hitch per row)	250 lbs	\$ 2,163.00
	<b>Replacement Units</b> (less boxes, stands, seat bar, sprockets, Scrapers, footrests) deduct	NA	\$ 184.00
<b>MODEL 1600 TRANSPLANTER HITCHES</b>			
39706	2-1/4" diamond toolbar hitch	30 lbs	\$ 328.00
39707	4" x 4" or 4" x 7" toolbar hitch	40 lbs	\$ 344.00
39707-7	7" x 7" toolbar hitch	45 lbs	\$ 361.00
39708	Conversion hitch from Model 1600 to Model 1500	25 lbs	\$ 344.00
<b>OPTIONS IN LIEU OF STANDARD EQUIPMENT FOR MODELS 1500 FWD1500&amp; 1600</b>			
ILRTPW	Rubber packing wheels (pair)	NA	\$ 545.00
ILPSHOE	Polymer coated furrow opener	NA	\$ 176.00
ILSHOE10	10" blunt point furrow opener	NA	\$ 176.00
ILJPBOX	Jumbo (taller) size plant boxes (pair)	NA	\$ 152.00
ILASPW	Adjustable steel packing wheels (pair)	NA	\$ 96.00
ILWFPW	Wider flanged steel packing wheels (pair)	NA	\$ 96.00
ILAWPW	Adjustable wider flanged steel packing wheels (pair)	NA	\$ 152.00

Note: Product not in stock is subject to freight charges.


[www.transplanter.com](http://www.transplanter.com)

<b>MODEL 1500 TRANSPLANTER HITCHES AND MOUNTING BRACKETS</b>			
<b>PART NO</b>	<b>DESCRIPTION</b>	<b>WEIGHT</b>	<b>LIST PRICE FRT EXTRA</b>
39701	Three point Category I standard hitch	40lbs	\$ 433.00
39702	Three point Category I hitch with barrel mounting brackets	90 lbs	\$ 609.00
39715	Three point Category II hitch with barrel mounting brackets	90 lbs	\$ 609.00
39703	2-1/4" diamond toolbar hitch	45 lbs	\$ 513.00
39704	4" x 7" toolbar hitch	45 lbs	\$ 513.00
39728	4" x 4" toolbar hitch	45 lbs	\$ 513.00
39710	Unit mounting bracket for Models 1301 & 1302 main frame not using fertilizer attachments	40 lbs	\$ 401.00
39711	Unit mounting bracket for Model 1304 main frame	40 lbs	\$ 401.00
39712	Unit mounting bracket for Model 1302 main frame using fertilizer attachments	45 lbs	\$ 481.00
39713	Unit mounting bracket for Model 1302HC & 1304HC main frames not using fertilizer attachments	40 lbs	\$ 401.00
39714	Unit mounting bracket for Models 1302HC & 1304HC main frames using fertilizer attachments	45 lbs	\$ 481.00
<b>MODEL FWD 1500 TRANSPLANTER Hitches &amp; Mounting Brackets</b>			
39721	Three point Category I standard hitch	105 lbs	\$ 1,162.00
39720	Three point Category I hitch with barrel mounting brackets	150 lbs	\$ 1,290.00
39725	Three point Category II hitch with barrel mounting brackets	150 lbs	\$ 1,290.00
39722	Three point Category II hitch with barrel mounting brackets	130 lbs	\$ 1,242.00
39723	4" x 7" toolbar hitch	130 lbs	\$ 1,242.00
39729	4" x 4" toolbar hitch	130 lbs	\$ 1,242.00
39724	Unit mounting bracket for main frame Models 1302, 1302HC, 1304 and 1304HC	150 lbs	\$ 1,202.00
<b>OPTIONS &amp; ACCESSORIES FOR MODEL 1500, 1600 &amp; FWD1500 SEATS</b>			
39501	Steel pan seats (pair)	10 lbs	\$ 264.00
39509	Steel seat backrests (pair)	5 lbs	\$ 87.00
39502	Fiberglass molded seats (pair)	25 lbs	\$ 352.00
39503	Cushion padded seats (pair)	65 lbs	\$ 465.00
<b>PACKING WHEELS</b>			
39561	Steel packing wheel extension rims (pair)	12 lbs	\$ 192.00
39562	Ruber packing wheels (pair)	30 lbs	\$ 737.00
<b>BULB HOLDER ATTACHMENT KITS</b>			
39563	Bulb holder attachment kit with (8) bulb holders for chain	20 lbs	\$ 513.00
39565	Bulb holder attachment kit with (10) bulb holders for chain	20 lbs	\$ 569.00
39566	Bulb holder attachment kit with (8) bulb holders for disc	20 lbs	\$ 513.00
39568	Bulb holder attachment kit with (10) bulb holders for disc	20 lbs	\$ 585.00
39569	Bulb holder attachment kit with (12) bulb holders for disc	20 lbs	\$ 617.00
39567	Bulb holder attachment kit with (16) bulb holders for disc	20 lbs	\$ 657.00
<b>COULTER BLADES</b>			
39520	12" straight coultter blade assembly for Models 1500/FWD1500	30 lbs	\$ 336.00
39522	15" straight coultter blade assembly for Models 1500/FWD1500	30 lbs	\$ 352.00
39521	12" straight coultter blade assembly for Model 1600	30 lbs	\$ 336.00
39519	15" straight coultter blade assembly for Model 1600	30 lbs	\$ 352.00
<b>CULTIVATOR ATTACHMENTS</b>			
39541	Single row unit mid mount for Model 1500	85 lbs	\$ 449.00
39543	Single row unit mid mount for Model FWD1500	85 lbs	\$ 449.00
39546	Two row 2 -1/4" toolbar mount	150 lbs	\$ 705.00
39545	Two row 4" x 7" toolbar mount	155 lbs	\$ 705.00
39551	Two row 4" x 4" toolbar mount	155 lbs	\$ 705.00
39542	Two row Model 1302HC toolbar mount	155 lbs	\$ 705.00
<b>GAUGE WHEELS</b>			
39550	Single row Model 1500 mount (5:70 x 8" tire)	100 lbs	\$ 667.00
39547	Single row Rotary 1	NA	\$ 667.00

Note: Product not in stock is subject to freight charges.





www.transplanter.com

TRANSPLANTER  
U.S. PRODUCTS

OPTIONS & ACCESSORIES FOR MODEL 1500, 1600 & FWD1500			
PART NO	GAUGE WHEELS FOR MULTI ROW UNITS ON TOOLBAR	WEIGHT	LIST PRICE FRT EXTRA
39951	2-5:70 x 8 w/1" bearing for 2 -1/4" toolbar	70 lbs	\$ 721.00
39955	2-5:70 x 8 w/1" bearing for 4" x 4" toolbar		\$ 721.00
39956	2-5:70 x 8 w/1" bearing for 4" x 7" toolbar		\$ 721.00
39957	2-16 x6 x8 w/sealed tapered bearing for 4" x 7" toolbar		\$ 969.00
39958	2- 7:60 x 15 rib tires w/sealed tapered bearing for 4" x 7" toolbar		\$ 1,162.00
39952	2- 15" DC rims less tires with roller bearing for 2 -1/4" toolbar mount	175 lbs	\$ 969.00
39953	2- 15" DC rims less tires with roller bearing for 4" x 7" toolbar mount	185 lbs	\$ 969.00
39954	2- 15" DC rims less tires with roller bearing for 4" x 4" toolbar mount	185 lbs	\$ 969.00
<b>PLANT TRAY HOLDERS for greenhouse/float plants</b>			
39500	Side slide 2-tray holder (pair)	65 lbs	\$ 513.00
39412	Top side slide 2-tray holder (pair requires a #39500) (holds for additional trays)	30 lbs	\$ 336.00
<b>ROW MARKERS</b>			
39530	One row unit mounted for Models 1500/1600/FWD1500	20 lbs	\$ 248.00
39531	Two row unit mounted for Models 1500/1600/FWD1500	35lbs	\$ 264.00
39534	Two row markers for 2 -1/4" toolbar mount	40 lbs	\$ 497.00
39533	Two row markers for Model 1302HC main frame mount	70 lbs	\$ 521.00
39535	Four row markers for Model 1304 main frame mount	90 lbs	\$ 785.00
39536	Four row markers for Model 1304HC main frame mount	90 lbs	\$ 785.00
<b>BED LEVELERS</b>			
39504	Single row for Model 1500 transplanter mount	25 lbs	\$ 248.00
39505	Single row for Model 1600 transplanter mount	25 lbs	\$ 248.00
39508	Single row for Model FWD1500 transplanter mount	25 lbs	\$ 248.00
39515	For use with Model 1500 with single row fertilizer attachment	25 lbs	\$ 248.00
39510	Single row for main frame mounted 1302HC	35 lbs	\$ 256.00
39511	Single row for main frame mounted 1304HC	35 lbs	\$ 256.00
39516	Single row for use with 2 row or 4 row mounted fert attachment on 2 -1/4" toolbar (Rotary 1 or 1500) <i>(one per row required)</i>	35 lbs	\$ 272.00
39517	Single row for use with 2 row or 4 row mounted fert attachment on 4" x 4" toolbar (Rotary 1 or 1500) <i>(one per row required)</i>	35 lbs	\$ 272.00
39518	Single row for use with 2 row or 4 row mounted fert attachment on 4" x 7" toolbar (Rotary 1 or 1500) <i>(one per row required)</i>	35 lbs	\$ 272.00
<b>MULTIPLE ROW MAIN FRAMES</b>			
39901	Single row main frame Model 1301	200 lbs	\$ 1,299.00
39906	Single row main frame Model 1700	150 lbs	\$ 1,490.00
39904	Two row main frame Model 1302HC (specify row widths)	725 lbs	\$ 3,124.00
39907	Two row main frame Model 1900 (specify row widths)	300 lbs	\$ 3,124.00
39908	Three row main frame Model 900 (specify row widths)	825 lbs	\$ 5,166.00
39905	Four row main frame Model 1304HC (specify row widths)	1600 lbs	\$ 5,499.00
39903	Four row main frame Model 1304 (specify row widths)	1100 lbs	\$ 5,166.00
39909	Four row main frame Model 1100 (specify row widths)	1300 lbs	\$ 6,249.00
<b>TOOLBARS &amp; TOOLBAR HITCH CARRIERS</b>			
39859	8-ft, 2- 1/2" diamond (tube) welded toolbar, Cat I 3PT hitch	195 lbs	\$ 881.00
39860	8-ft, 2 -1/2" diamond (tube) welded toolbar, Cat II 3PT hitch	195 lbs	\$ 881.00
39855	6-ft, 2 -1/2" diamond (tube) welded toolbar, Cat I 3PT hitch	160 lbs	\$ 849.00
39853	6-ft, 2 -1/2" diamond (tube) welded toolbar, Cat II 3PT hitch	105 lbs	\$ 849.00
39856	4" x 7" toolbar (specify length) <b>priced per foot</b>	25 lbs	\$ 87.00
39856-16	16 x 4 x 4 toolbar		\$ 1,378.00
39856-8	8 x 4 x 7 toolbar		\$ 689.00
39858	4" x 4" toolbar (specify length) <b>priced per foot</b>	18 lbs	\$ 79.00
39858-16	16 x 4 x 4 toolbar		\$ 1,242.00
39858-8	8 x 4 x 4 toolbar		\$ 609.00
39718	Bolt-on Cat II 3PT hitch carrier for 4" x 7" toolbar	130 lbs	\$ 897.00
39719	Bolt-on Cat II 3PT hitch carrier for 4" x 4" toolbar	130 lbs	\$ 897.00
39730	Bolt-on Cat II, 3 quick hitch carrier for 4" x 7" toolbar	140 lbs	\$ 961.00

Note: Product not in stock is subject to freight charges.



OPTIONS & ACCESSORIES FOR MODEL 1500, 1600 & FWD1500			
PART NO	BARRELS	WEIGHT	LIST PRICE FRT EXTRA
39602	55 gallon poly barrel with galvanized liner	50 lbs	\$ 513.00
39603	110 gallon poly barrel with galvanized liner	110 lbs	CALL
39605	300 gallon poly barrel with galvanized liner	120 lbs	\$ 1,282.00
<b>BARREL MOUNTING BRACKETS FOR 55 GALLON BARRELS</b>			
39608	2 -1/4" diamond toolbar mount (pr)	80 lbs	\$ 441.00
39615	4" x 7" toolbar mount (pr)	80 lbs	\$ 441.00
39618	4" x 4" toolbar mount (pr)	80 lbs	\$ 441.00
39606	Tractor front mount (specify tractor make & model)	60 lbs	CALL
39607	Tractor side mount (specify tractor make & model)	75 lbs	CALL
39609	Tractor dual side mount (specify tractor make & model)	150 lbs	CALL
<b>BARREL MOUNT BRACKETS FOR 110 GALLON BARRELS</b>			
39616	4" x 7" toolbar mount	85 lbs	\$ 481.00
39619	4" x 4" toolbar mount	85 lbs	\$ 481.00
39610	Tractor front mount (specify tractor make & model)	65 lbs	CALL
39612	Tractor side mount (specify tractor make & model)	75 lbs	CALL
39613	Tractor dual side mount (specify tractor make & model)	150 lbs	CALL
<b>HYDRAULIC CYLINDERS AND HOSE KITS</b>			
19502	3" x 8" standard cylinder	40 lbs	\$ 383.00
19503	3" series cylinder (pair)	80 lbs	\$ 1,250.00
19505	Hydraulic hose kit for Model 1301 main frame	10 lbs	\$ 276.00
19506	Hydraulic hose kit for Model 1302 main frame	10 lbs	\$ 280.00
19507	Hydraulic hose kit for Model 1302HC main frame	10 lbs	\$ 276.00
19509	Hydraulic hose kit for Model 1304HC main frame (series cylinder)	25 lbs	\$ 516.00
19508	Hydraulic hose kit for Model 1304 main frame (series cylinder)	25 lbs	\$ 516.00
39650	9.5L x 15" implement rib tire –per pair	25 lbs	\$ 683.00
39651	7:60 x 15" implement rib tire– per pair	30 lbs	\$ 474.00
39652	6:70 x 15" traction lug tire—per pair	20 lbs	\$ 466.00
39654	11L x 15" flotation implement tire(10 ply)– per pair	30 lbs	\$ 659.00

Note: Product not in stock is subject to freight charges.



**TREE TRANSPLANTERS**

**TRANSPLANTER  
U.S. PRODUCTS**

[www.transplanter.com](http://www.transplanter.com)

PART NO	MODEL 1550T	WEIGHT	LIST PRICE FRT EXTRA
59941	Model 1550T One Row Tree Transplanter complete with 10" Blunt point furrow opener with replaceable chisel point, 20" coulter blade, rear weight bracket, plant boxes and stand, 3-P54 plant holders on chain (min plant spacing of 40"), CAT1 3-Point hitch with double down pressure springs, steel seats	525 lbs	\$ 4,916.00
	<b>OPTIONS</b>		
FG	Fiberglass molded seats (pair)	25 lbs	\$ 336.00
CS	Cushion padded seats (pair)	65 lbs	\$ 449.00
ILRTPW	4" x 15" rubber tire packing wheels (pair)	30 lbs	\$ 529.00
	Front gauge wheels 5:70 x 8-1" bearings		\$ 673.00
ILJPBOX	Jumbo plant boxes (pair)		\$ 160.00
	Front side coulter blades for heavy conditions		\$ 689.00
	<b>MODEL 1580</b>		
59939	Model 1580 No-till heavy duty hand transplanter with heavy-duty Cat II 3 pt hitch, 25" coulter blade in front of massive vertical shank/sub soiler with replaceable chisel point, furrow opener. 12" x 4" wide-other sizes available, tapered bearing solid disc steel packing wheels, safety running boards for operators, large plant boxes and fibreglass seats	2,000 lbs	\$ 12,017.00
	<b>OPTIONS</b>		
59938	Front side coulter blades (pair) (for no-til sod)	160 lbs	\$ 1,082.00
	Front gauge wheels		\$ 929.00
	30" front coulter blade (in-lieu) of 25"		\$ 224.00
	Furrow openers up to 8" wide x 18" deep		\$ -
	4" x 15" rubber tire packing wheels (pr)		\$ 529.00
	<b>MODEL 1525</b>		
59940	Model 1525 one row "hand" planter complete with 7" x 2" furrow opening shoe, plant boxes and stands, steel packing wheels, weight brackets, fibreglass seats	500 lbs	\$ 3,525.00
59946	3 PT hitch w/barrel mounts		\$ 697.00
59946-1	3 PT hitch		\$ 561.00
59946-2	Toolbar hitch—2 -1/4" diamond		\$ 505.00
59946-3	Toolbar hitch— 4" x 4" or 4" x 7"		\$ 505.00
	Front wheel drive hitch, no blade available		\$ 1,162.00
	<b>OPTIONS</b>		
ILCS	Cushion padded seats (pr)		\$ 125.00
ILRTPW	4" x 15" rubber packing wheels (pr)		\$ 545.00
FMT	Front mounted plant tray with brackets (72")		\$ 625.00
RMT	Rear/front mounted plant tray with brackets (48")	100 lbs	\$ 625.00
39523	17" coulter blade (hitch mounted) (CB17)	75 lbs	\$ 513.00
39524	20" coulter blade (hitch mounted) (CB20)	90 lbs	\$ 569.00
39525	27" coulter blade (hitch mounted) (CB28)	100 lbs	\$ 1,082.00
BELL	Bell spacing system (requires coulter blade)	275 lbs	\$ 569.00
	Weights (90 lbs each) (pr)	40 lbs	\$ 417.00
SCB	Steel covering wings (pr)		\$ 240.00
DCB	Disc covering blades (pr)	25 lbs	\$ 457.00
59944	Trip water valve (requires coulter blade)	60 lbs	\$ 625.00
59945	Furrow openers drip through shoe		\$ 732.00
	<b>FURROW OPENERS SIZE - (DEPTH BY WIDTH) IN LIEU OF STANDARD</b>	<b>ADD \$</b>	<b>AS EXTRA</b>
	7" X 2"		\$ 296.00
	7" X 4"	\$ 122.00	\$ 296.00
	7" X 7"	\$ 234.00	\$ 481.00
	12" X 2"	\$ 234.00	\$ 481.00
	12" X 4"	\$ 234.00	\$ 481.00
	12" X 7"	\$ 279.00	\$ 521.00
	15" X 4"	\$ 279.00	\$ 521.00
	15" X 7"	\$ 292.00	\$ 537.00

Note: Product not in stock is subject to freight charges.

NOTE: anv 4" wide and wider furrow openina shoe. requires disc or steel covering blades. Other shoes available upon request.





[www.transplanter.com](http://www.transplanter.com)

## MODEL 1265 MULCH PLANTER



All **Model 1265 Mulch Planters** are standard equipped with one complete set of spades (any size), two plant holdings trays, two fiberglass molded seats, 6:70 x 15 drive tire, idler tire, rubber packing wheels with weight bracket and parking stand. Hitches are required for complete one row transplanter.

PART NO	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
41111	Model 1265-1 mulch planter for 84" plant spacing	650 lbs	\$ 6,489.00
42111	Model 1265-2 mulch planter for 42" plant spacing	700 lbs	\$ 6,489.00
43111	Model 1265-3 mulch planter for 28" plant spacing	665 lbs	\$ 6,489.00
44111	Model 1265-4 mulch planter for 21" plant spacing	700 lbs	\$ 6,665.00
45111	Model 1265-5 mulch planter for 17" plant spacing	750 lbs	\$ 6,826.00
46111	Model 1265-6 mulch planter for 14" plant spacing	800 lbs	\$ 6,986.00
47111	Model 1265-7 mulch planter for 12" plant spacing	875 lbs	\$ 7,146.00
48111	Model 1265-8 mulch planter for 10 -1/2" plant spacing (requires M10-S spades)	950 lbs	\$ 7,306.00
<b>OPTIONS IN LIEU OF STANDARD EQUIPMENT</b>			
	Dual 6:70 x 15 wheel drive (for sandy or hilly conditions) add	100 lbs	\$ 801.00
	Cushion padded seats (pair) add	30 lbs	\$ 136.00
	Water valve attachment add	20 lbs	\$ 481.00
	Double water valve add	40 lbs	\$ 673.00
<b>SPECIFY ONE SET OF THE FOLLWING SPADE SIZES</b>			
M10S*	3/4" round or square (plant size/shape)		
M10	3/4" round or square (plant size/shape)		
M10A	1" to 1 -1/2" round or square (plant size/shape)		
M11	1 -1/2" to 2" round (plant size/shape)		
M12	1 -1/2" to 2" square (plant size/shape)		
M13*	2" (spade size) to 2 -3/4" square (plant size/shape)		
M14	2" (spade size) to 2 -3/4" round (plant size/shape)		
M15**	3" (spade size)		
M16**	4" (spade size)		
* For use on Model 1265-8 only. ** Not available for Models 1265-6, 1265-7 or 1265-8.			
<b>HITCHES</b>			
48050	Three point Cat I hitch	75 lbs	\$ 537.00
48060	Three point Cat I hitch with barrel mounting brackets	150 lbs	\$ 713.00
48000	Three point Cat II hitch	75 lbs	\$ 537.00
48090	Three point Cat II hitch with barrel mounting brackets	150 lbs	\$ 721.00
48040	2- 1/4" diamond toolbar hitch	90 lbs	\$ 481.00
48030	4" x 7" or 4" x 4" toolbar hitch (specify size of toolbar)	90 lbs	\$ 465.00
48070	Three point offset Cat I hitch with barrel mounting brackets	175 lbs	\$ 993.00
48080	Three point offset Cat I hitch	150 lbs	\$ 865.00
48001	Three point offset Cat II hitch with barrel mounting brackets	175 lbs	\$ 993.00
48002	Three point offset Cat II hitch	150 lbs	\$ 865.00
<b>OPTIONS AND ACCESSORIES FOR MODEL 1265</b>			
39602	Barrel, 55 gal poly with galvanized liner	50 lbs	\$ 513.00
49009	Single top tray attachment (4' x 5')	50 lbs	\$ 449.00
49008	Gauge wheel attachment (16 x 6 x 8 w/tapered bearing)	125 lbs	\$ 897.00

Note: Product not in stock is subject to freight charges.



[www.transplanter.com](http://www.transplanter.com)

**TRANSPLANTER**  
U.S. PRODUCTS

**MULCH SHAPER / LAYER**

All **Model 1235 Bed Shaper/Layers** are with 3-point hitch, adjustable sides for bed tops from 24" to 36" width, 6" height (other sizes available upon request), adjustable side gathering wings.

PART NO	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
46001-3	HD Bed Shaper with Mulch layer ( width 4 ft bed top)		\$ 6,489.00
46001-4	HD Bed Shaper with Mulch Layer (width 5 ft bed top)		\$ 6,729.00
L14	Kit to attach existing Layer to Shaper		\$ 481.00
46004-3	HD Bed Shaper only (2ft-3ft bed top)		\$ 4,126.00
46004-4	HD Bed Shaper only (3ft-4ft bed top)		\$ 4,374.00
49004	HD Drip attachment		\$ 689.00
39842	Fertilizer Attachment for Bed Shaper		\$ 2,187.00
46005-5	Second set of front gathering discs		\$ 713.00

**MODEL 1275 MULCH LAYERS**



All **Model 1275 Mulch Layers** are standard equipped with Category I 3PT hitch, gauge wheels, levelling blade, treadles rubber press wheels, floating main frame, 14" disc opening and covering blades, soil shields and spare roll carrier.

PART NO	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
46000	Model 1275 mulch layer complete	500 lbs	\$ 2,884.00
46006	Model 1275A mulch layer with fertilizer attachment (requires (1) Pair 15" tires)		\$ 4,486.00
<b>OPTIONS</b>			
49005	Drip irrigation attachment for mulch layer	90 lbs	\$ 633.00
49006	Fertilizer attachment only for mulch layer (requires 1 pr 15" tires)	500 lbs	\$ 2,243.00
39652	6:70 x 15 traction lug tire for above fertilizer attachments (pr)	20 lbs	\$ 449.00

**MODEL 1295 MULCH DIGGERS**



All **Model 1295 Mulch Diggers** are standard equipped with 3-point hitch, 20" side cutting coulter blades, adjustable digging wings with replaceable blades, lifting rods & weight brackets.

PART NO	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
47000	Model 1295 mulch digger complete	775 lbs	\$ 3,365.00
<b>OPTIONS</b>			
49007	Gauge wheel attachment for Model 1295 mulch digger	100 lbs	\$ 633.00
LB	Lift blades only (pair)	40 lbs	\$ 344.00
LR	Lift rods only (set)	40 lbs	\$ 104.00

Note: Product not in stock is subject to freight charges.



[www.gandy.net](http://www.gandy.net)

## GANDY ORBIT AIR SEEDERS



### FEATURES

- 62-Series - granular chemicals, fertilizer & seed
- 62-Series - Ground drive, Speed compensating, non-speed compensating 12-volt motor
- 66-Series granular chemicals, fertilizer, & seed
- 66-Series - Raven, hydraulic motor drive speed compensating
- Orbit Flow Fertilizer Applicator
- Orbit Flow Fertilizer Applicator - hydraulic motor adjustment or pneumatic delivery

**Call us for more details.**


*Note: Product not in stock is subject to freight charges.*



www.gandy.net

**DETHATCHER/OVERSEEDER  
3 PT HITCH MOUNT**

**SEEDERS  
U.S. PRODUCTS**



**Standard Equipment:**

- 48" seeding width
- 24 slits on 2" centers
- Tractor-operated 540 PTO with as little as 18 hp
- Available as a stand-alone dethatcher
- Optional 3-section roller, brush assembly and special blades



**Specifications:**

**Dethatcher:**  
**Frame:** 7-gauge 3/16" steel plate frame  
**Hitch:** Category I, 3-point self-levelling hitch;  
**PTO:** 540-RPM PTO with slip clutch for 18 HP tractors and up  
**Gear Box:** PTO to gear box to No. 50 o-ring chain to blade shaft drive; 1 to 2 ratio right angle gear box  
**Blades:** 14 gauge anneal spring steel, heat-treated 14 gauge, saw tooth, 8" diameter blades spaced 2" apart  
**Shaft:** 1" hex blade shaft with self-aligning sealed bearings  
**Tires:** 410/350 tires  
**Depth Adj:** 0" to 1-1/2" (0.37.5 mm)  
**Overall Width:** 66" (168) overall width with wheels  
**Weight:** 442 lbs. (200 KG)

**Overseeder:**  
**Frame:** 42" 20-gauge steel hopper with cover;  
**Hopper Capacity:** 3.5 cu. ft. (98 dm) 100-125 lbs seed  
**Bottom & Slide:** stainless steel micro-precision mated with 24 triangular openings, snaps off for easy cleaning  
**Rate Control:** precision cam gauge, part of bottom & slide  
**Seed Spacing:** 2" (5.08 cm)  
**Hopper Drive:** No. 41 chain from left front wheel to shaft to hopper;  
**Shut Off:** Manual lever within easy reach  
**Seed Tubes:** flexible plastic seed tubes;  
**Discs:** 7" (17.78 cm) steel discs (2848SS) with spring loaded scrapers

Note: Product not in stock is subject to freight charges.

Part #	Description	WGT	LIST PRICE FRT EXTRA
<b>1. CHOOSE DETHATCHER</b>			
2848D12	540-PTO driven dethatcher deck with saw-tooth blades on 2" center, pneumatic tires. May be ordered as independent unit.	581 lbs	\$ 8,201.00
<b>2. OPTIONAL OVERSEEDER ATTACHMENTS</b>			
2848SS	Overseeder hopper attachment for dethatcher deck, seed placement tubes, disc openers	315 lbs	\$ 4,922.00
<b>3. OPTIONAL ATTACHMENTS FOR OVERSEEDER</b>			
2895	3-Section gang roller option for attachment to overseeder.	117 lbs	\$ 1,232.00
2897	Brush assembly option for attachment to overseeder.	95 lbs	\$ 438.00
<b>4. OPTIONAL ASSEMBLIES</b>			
2894-C	Shoe assembly as an extra for 2848SS equipped unit.	114 lbs	\$ 2,611.00
2894-D	Disc blade assembly with bearings for 2848SS equipped unit		\$ 1,474.00
2893-C	Saw-tooth blade assembly complete with blades, spacers, shaft, bearings, sprockets and castellated nut.	114 lbs	\$ 1,434.00
<b>5. REPLACEMENT COMPONENTS</b>			
2896	Bearing replacement kit for blade assembly		\$ 257.00
28013	Chain drive replacement package. Adapts to belt driven units.	13 lbs	\$ 637.00
M13-0024-	Single brush replacement for brush assembly (white).	4 lbs	\$ 50.00
G07-0020-	PTO drive shaft, with slip clutch, standard replacement part.	24 lbs	\$ 644.00
G07-0020-	PTO drive shaft, adjustable friction slip clutch.	24 lbs	\$ 823.00
<b>6. BLADES &amp; SPACERS</b>			
2893-49	Blade, 8" saw-tooth, 30 degree, 14-gauge.	1 lbs	\$ 35.00
2893-50	Blade, 8" saw-tooth, 90 degree, 14-gauge.	1 lbs	\$ 35.00
2893-51	Blade, 9" saw-tooth, 30 degree, 14-gauge.	1.5 lbs	\$ 39.00
2893-52	Blade, 9" saw-tooth, 90 degree, 14-gauge.	1.5 lbs	\$ 39.00