



[www.yorkmodern.com](http://www.yorkmodern.com)

**RAKES  
U.S. PRODUCTS**



Note: Product not in stock is subject to freight charges.

**RAKES AND ATTACHMENTS FOR 10 to 20 HP**

Model	Description	Weight	LIST PRICE FRT EXTRA
3105	Model RS, 5' width, consist of Cat 0, 3 PT hitch frame, 5' rake.	153 lbs.	\$ 1,599.00
3106	Model RS, 6' width, consist of Cat 0, 3 PT hitch frame, 6' rake.	163 lbs.	\$ 1,758.00
3115	Model RS, 5' width, consists of Cat 1, 3 PT hitch frame, 5' rake.	153 lbs.	\$ 1,647.00
3116	Model RS, 6' width, consists of Cat 1, 3 PT hitch frame, 6' rake.	163 lbs.	\$ 1,758.00
230	Caster Wheels (per pair)	49 lbs.	\$ 540.00
335	RS 60 Grader Blade Assembly, 5' width	42 lbs.	\$ 346.00
336	RS 72 Grader Blade Assembly, 6' width	47 lbs.	\$ 378.00
430	Scarifier, Model RSS	43 lbs.	\$ 893.00

**"YORK" MODEL RW AND ATTACHMENTS FOR 20 to 30 HP**

Model	Description	Weight	LIST PRICE FRT EXTRA
4116	Model RW, 6' width, consists of Category I, 3-point hitch frame, and 6' rake.	253 lbs.	\$ 2,226.00
4117	Model RW, 7' width, consists of Category I, 3-point hitch frame, and 7' rake.	271 lbs.	\$ 2,365.00
4118	Model RW, 8' width, consists of Category I, 3-point hitch frame, and 8' rake.	289 lbs.	\$ 2,505.00
241	Caster Wheels per pair (12 x 4.10)	76 lbs.	\$ 740.00
346	RW 72 Grader Blade, 6' width	111 lbs.	\$ 885.00
347	RW 84 Grader Blade, 7' width	122 lbs.	\$ 926.00
348	RW 96 Grader Blade, 8' width	133 lbs.	\$ 986.00
440	Scarifier, Model RWS	98 lbs.	\$ 1,157.00
540	Blade End Boots, per pair	18 lbs.	\$ 156.00



www.yorkmodern.com



RAKES  
U.S. PRODUCTS

**"YORK" MODEL RI RAKES AND ATTACHMENTS**

Model	Description	Weight	LIST PRICE FRT EXTRA
7116	Model R1, 6' width, consists of Category I, 3-point hitch frame, manual angle, and 6' rakes with 1" teeth and 1" spacing	441 lbs.	\$ 3,300.00
7117	Model RI, 7' width, consists of Category I, 3-point hitch frame, manual angle, and 7' rakes with 1" teeth and 1" spacing	467 lbs.	\$ 3,411.00
7118	Model RI, 8' width, consists of Category I, 3-point hitch frame, manual angle, and 8' rakes with 1" teeth and 1" spacing	493 lbs.	\$ 3,524.00
7410	Model R1, 10' width, Category I, 3-point hitch frame, manual angle, and 10" rake with 1 1/4" teeth and 1 1/2" spacing	578 lbs.	\$ 4,264.00
7126	Model R1, 6' width, consists of Category 2, 3-point hitch frame, manual angle, and 6' rakes with 1" teeth and 1" spacing	461 lbs.	\$ 3,735.00
7127	Model R1, 6' width, consists of Category 2, 3-point hitch frame, manual angle, and 7' rakes with 1" teeth and 1" spacing	487 lbs.	\$ 3,761.00
7128	Model R1, 6' width, consists of Category 2, 3-point hitch frame, manual angle, and 8' rakes with 1" teeth and 1" spacing	513 lbs.	\$ 3,875.00
7420	Model R1, 6' width, consists of Category 2, 3-point hitch frame, manual angle, and 10' rakes with 1-1/4" teeth and 1-1/2" spacing	598 lbs.	\$ 4,619.00
770	Hydraulic angle kit	31 lbs.	\$ 708.00
250	Caster Wheels, per pair (rakes w/ 1" x 1")	88 lbs.	\$ 960.00
280	Caster Wheels, per pair (rakes w/ 1 -1/4" x 1 1/2" )	102 lbs.	\$ 1,435.00
356	Grader Blade Assembly, 6' width (rakes w /1" x 1" )	145 lbs.	\$ 1,018.00
357	Grader Blade Assembly, 7' width (rakes w/ 1" x 1" )	158 lbs.	\$ 1,048.00
358	Grader Blade Assembly, 8' width (rakes w/ 1" x 1" )	174 lbs.	\$ 1,077.00
380	Grader Blade Assembly 10' width (rakes w/ 1 - 1/4" x 1 1/2" )	203 lbs.	\$ 1,391.00
550	Blade End Boots, per pair.	26 lbs.	\$ 236.00
470	Scarifier, Model RIS	223 lbs.	\$ 2,593.00

Note: Product not in stock is subject to freight charges.

**"YORK" MODEL SSF RAKES AND ATTACHMENTS**

Model	Description	Weight	LIST PRICE FRT EXTRA
5336	Model SSF, 6' width, frame with mounting plate & 6" rake	647 lbs.	\$ 5,255.00
5337	Model SSF, 7' width, frame with mounting plate & 7" rake	673 lbs.	\$ 5,397.00
5338	Model SSF, 8' width, frame with mounting plate & 8" rake	699 lbs.	\$ 5,539.00
5436	Model SSF Heavy, 6' width, frame,with mounting plate & 6" rake	652 lbs.	\$ 5,703.00
5437	Model SSF Heavy, 7' width, frame, with mounting plate & 7" rake	678 lbs.	\$ 5,850.00
5438	Model SSF Heavy, 8' width, frame, with mounting plate & 8" rake	704 lbs.	\$ 4,298.00

**NOTE: Use optional caster wheels, grader blade, end boots and hydraulic angle kit from Model R1.**

**NOTE: Please specify skid steer make and model when ordering. Mounting plates other than those listed above may be available upon request.**



[www.yorkmodern.com](http://www.yorkmodern.com)

**RAKES  
U.S. PRODUCTS**



Note: Product not in stock is subject to freight charges.

MODEL TA1 & TA2			
Model	Description	Weight	LIST PRICE FRT EXTRA
<b>MODEL TA1</b>			
001214	Model TA14, 4' Width. Consists of adjustable trailing hitch and 4' Rake.	121 lbs	\$ 1,073.00
001214B	Model TA14, 4' Width. Consists of adjustable trailing hitch, 4' Rake and 1-7/8" ball hitch	121 lbs	\$ 1,163.00
000314	TA14 Grader Blade, 4' Width.	36 lbs	\$ 286.00
<b>MODEL TA2</b>			
002214	Model TA24, 4' Width. Consists of adjustable trailing hitch and 5' Rake	203 lbs	\$ 1,982.00
002214B	Model TA25, 4' Width. Consists of adjustable trailing hitch, 5' Rake and 1-7/8" ball hitch	203 lbs	\$ 2,069.00
002215	Model TA25, 5' Width. Consists of adjustable trailing hitch and 5' Rake	217 lbs.	\$ 2,103.00
002215B	Model TA25, 5' Width. Consists of adjustable trailing hitch, 5' Rake and 1-7/8" ball hitch	217 lbs	\$ 2,191.00
002216	Model TA26, 6' Width. Consists of adjustable trailing hitch and 6' Rake	252 lbs.	\$ 2,223.00
002216B	Model TA26, 6' Width. Consists of adjustable trailing hitch, 6' Rake and 1-7/8" ball hitch	252 lbs	\$ 2,311.00
000314	TA24 Grader Blade Assembly, 4' Width	36 lbs	\$ 286.00
000335	TA25 Grader Blade Assembly, 5' Width	42 lbs.	\$ 346.00
000326	TA26 Grader Blade Assembly, 6' Width	47 lbs.	\$ 378.00





MODEL MT2			
Model	Description	Weight	LIST PRICE FRT EXTRA
3264	MT24 Landscape Rake 4', Tow type	108 lbs.	\$ 923.00
3265	MT25 Landscape Rake 5', Tow type	162 lbs.	\$ 1,493.00
3266	MT26 Landscape Rake 6', Tow type	175 lbs.	\$ 1,623.00



Note: Product not in stock is subject to freight charges.

MODEL MR2			
Model	Description	Weight	LIST PRICE FRT EXTRA
3274	MR24 Landscape Rake 4'	120 lbs.	\$ 894.00
3275	MR25 Landscape Rake 5'	132 lbs.	\$ 1,036.00
3276	MR26 Landscape Rake 6'	149 lbs.	\$ 1,167.00
3220	MCW2 Caster Wheels	36 lbs	\$ 381.00
MR3			
3375	MR36, Landscape Rake, 5'	211	\$ 1,208.00
3376	MR36, Landscape Rake, 6'	233 lbs	\$ 1,340.00
3377	MR37, Landscape Rake, 7'	255 lbs	\$ 1,504.00
3378	MR38, Landscape Rake, 8'	280 lbs	\$ 1,668.00
3320	MCW3 Caster Wheels	59 lbs	\$ 527.00

\*Equipped with Category 1 pins standard. Category 0 pins available upon request.



[www.taylorpittsburgh.com](http://www.taylorpittsburgh.com)

**SERIES 4500 LANDSCAPE RAKE**



The 4500 Series Landscape Rake is designed to produce a flat, even grade while removing large debris. Perfect for grading soil beds, livestock arenas, gravel driveways, cleaning up construction sites and pasture renovation. Features a 15" rake height with 5/16" x 1" high carbon spring steel teeth on 2" centers. 7 forward and 5 reverse angle settings. The category 1 hitch is Quick Hitch compatible and complete with standard parking stand. Recommended for tractors up to 50 HP.

Note: Product not in stock is subject to freight charges.


Part #	Description	Working Width	Weight	LIST PRICE FRT EXTRA
<b>4500-LSR-60</b>	Landscape Rake Standard Duty	60"	309 lbs	<b>\$ 1,176.00</b>
<b>4500-LSR-60-GW</b>	Landscape Rake Standard Duty Gauge Wheels	60"	379 lbs.	<b>\$ 1,568.00</b>
<b>4500-LSR-72</b>	Landscape Rake Standard Duty	72"	341 lbs.	<b>\$ 1,283.00</b>
<b>4500-LSR-72-GW</b>	Landscape Rake Standard Duty Gauge Wheels	72"	411 lbs.	<b>\$ 1,695.00</b>
<b>4500-LSR-84</b>	Landscape Rake Standard Duty	84"	373 lbs.	<b>\$ 1,391.00</b>
<b>4500-LSR-84-GW</b>	Landscape Rake Standard Duty Gauge Wheels	84"	443 lbs.	<b>\$ 1,816.00</b>
<b>4500-LSR-96</b>	Landscape Rake Standard Duty	96"	405 lbs.	<b>\$ 1,498.00</b>
<b>4500-LSR-96-GW</b>	Landscape Rake Standard Duty Gauge Wheels	96"	475 lbs	<b>\$ 1,892.00</b>



www.taylorpittsburgh.com

RAKE

## 233 SERIES LANDSCAPE RAKE



- Features:
- Industrial tubing frame with reinforced formed upper frame
  - Accommodates Category 1 Quick Hitch
  - 3" x 3" main beam
  - Angle beam tine frame
  - 5 forward & 5 reverse angle settings
  - 5/16" x 1" heat treated, spring steel tines
  - 1" spacing between tines
  - Tines individually mounted for durability
  - Adjustable tine stabilizer bars
  - Optional gauge wheels available

Note: Product not in stock is subject to freight charges.

Field General's Landscape Rakes are engineered for versatility by having 5 forward and 5 reverse angle settings. These Rakes feature a uniquely designed, adjustable stabilizer bar that allows the heat treated spring steel tines to be more or less rigid by raising or lowering the stabilizer bar. You will find these Rakes a handy tool for spreading topsoil, distributing gravel, removing stones and debris, preparing for seeding and general grading work.


Part #	Description	Working Width	Weight	LIST PRICE FRT EXTRA
233-YR-G-60	5 ft Landscape Rake	60"	225 lbs.	\$ 955.00
233-YR-G-72	6 ft Landscape Rake	72"	240 lbs.	\$ 1,030.00
233-YR-G-84	7 ft Landscape Rake	84"	280 lbs.	\$ 1,122.00
233-YR-G-96	8 ft Landscape Rake	96"	321 lbs.	\$ 1,243.00

**BE Braber  
Equipment**

www.brabereq.com

**FEATURES:**

- Cat 1, 3 pt hitch
- 5 forward & 5 reverse settings
- 5/16" x 1" x 17" spring tines



*Note: Product not in stock is subject to freight charges.*

Part Number	Description	HP Rating	Weight	LIST PRICE FRT EXTRA	Net Set Up Charge
BE-LRM5G	5 ft landscape rake	50	198 lbs	\$ 800.00	\$ 45.00
BE-LRM6G	6 ft landscape rake	50	230 lbs	\$ 905.00	\$ 45.00
BE-LRM7G	7 ft landscape rake	50	260 lbs	\$ 1,000.00	\$ 50.00
BE-LRMWKIT	Wheel Kit			\$ 267.00	



**PALADIN**  
LIGHT ATTACHMENT TOOLS

[www.paladinlightconstructiongroup.com](http://www.paladinlightconstructiongroup.com)



RAKE

SPECIFICATIONS					
MODEL	WGT LBS	FLOW GPM	PRESSURE MAX	WORKING WIDTH	WORKING WIDTH @ 20°
D4	380	Aug-15	3000	48"	45"
M4	460	Aug-20	3000	48"	45"
M5	938	13-20	3000	60"	58"
M6	1004	13-25	3000	72"	68"
MX7	1075	15-25	3000	84"	79"
MX8	1347	17-40	3000	90"	85"

SPECIFICATIONS					
MODEL	WGT LBS	HP RANGE	WORKING WIDTH	WORKING WIDTH @ 15°	3-PT CAT
TM4	550	15-22	48"	46"	1
TM5	575	18-32	60"	58"	1
T6	830	30-40	72"	69"	1
TM7	1260	42-80	84"	81"	1,2
TM8	1290	42-80	90"	81"	1,2

Note: Product not in stock is subject to freight charges.

Part Number	Description	Weight	LIST PRICE FRT EXTRA
<b>COMPACT TOOL CARRIER (DINGO, DITCH WITCH, TORO, VERMEER, ETC)</b>			
22748M	D4M (manual angle)	365 lbs	\$ 10,146.00
22748H	D4H (hydraulic angle with diverter valve)	380 lbs	\$ 12,415.00
22748H3	D4H3 (hydraulic angle without diverter valve)	380 lbs	\$ 10,502.00
<b>SKID-STEER (ASV, RC30, ETC) (1500 LBS OR LESS LIFT CAPACITY)</b>			
M4F	M4F (fixed)	790 lbs	\$ 10,064.00
M4M	M4M (manual)	825 lbs	\$ 11,303.00
M4H	M4H (hydraulic angle change)	850 lbs	\$ 12,670.00
M4H2	M4H2 (hydraulic angle change cylinder only)	840 lbs	\$ 11,417.00





**PALADIN**  
LIGHT ATTACHMENT TOOLS

[www.paladinlightconstructiongroup.com](http://www.paladinlightconstructiongroup.com)

Part Number	Description	Weight	LIST PRICE FRT EXTRA
<b>SKID-STEER (1500 - 5000 LBS LIFT CAPACITY)</b>			
M5F-0022	M5F (fixed)	973 lbs	\$ 10,459.00
M5M-0022	M5M (manual)	1088 lbs	\$ 11,937.00
M5H-0022	M5H (hydraulic)	1113 lbs	\$ 13,331.00
M6F-0022	M6F (fixed)	960 lbs	\$ 12,634.00
M6M-0022	M6M (manual)	1177 lbs	\$ 13,942.00
M6H-0022	M6H (hydraulic)	1791 lbs	\$ 15,334.00
MX7M-0022	MX7M (manual)	1264 lbs	\$ 14,465.00
MX7H-0022	MX7H (hydraulic)	1278 lbs	\$ 16,207.00
MX8M-0022	MX8M (manual)	1536 lbs	\$ 15,685.00
MX8H-0022	MX8H (hydraulic)	1550 lbs	\$ 17,426.00
<b>JOYSTICK CONTROL WIRE HARNESS</b>			
28-10218	Bobcat (14-pin), Case 400 series, Case (post 9/01), Gehl, Kubota, Takeuchi, New Holland, Mustang, Takeuchi (14-pin Deutsch), Kubota SVL75-90	3 lbs	\$ 239.00
M6783	ASV-SSL, Cat B series, Cat Pre-B series (8-pin Deutsch), Cat C series	3 lbs	\$ 399.00
M6789	John Deere (3-pin Deutsch)	3 lbs	\$ 251.00
M6793	Case XT Pre-9/01 (8-pin Packard)	3 lbs	\$ 145.00
07-10057	Komatsu	3 lbs	\$ 512.00
<b>TRACTOR 3-POINT US PATENT NO. 6,578,295</b>			
TM4M-0052	TM-4 (manual)	725 lbs	\$ 11,502.00
TM4H-0052	TM-4 (hydraulic)	725 lbs	\$ 11,502.00
TM5M-0052	TM-5 (manual)	775 lbs	\$ 13,246.00
TM5H-0052	TM-5 (hydraulic)	775 lbs	\$ 13,246.00
T6M-0052	TM-6 (manual)	1100 lbs	\$ 14,814.00
T6H-0052	TM-6 (hydraulic)	1100 lbs	\$ 14,814.00
TM7H-0052	TM-7 (hydraulic)	1520 lbs	\$ 16,729.00
TM8H-0052	TM-8 (hydraulic)	1640 lbs	\$ 17,426.00
<b>POWER SEEDER FOR 3-POINT TRACTOR MODELS ONLY</b>			
PS5-0800	PS-5	377 lbs	\$ 7,917.00
PS5-0052	PS-5 with 3 point spring tine scarifier mount	482 lbs	\$ 9,321.00
PS6-0800	PS-6	411 lbs	\$ 8,190.00
PS6-0052	PS-6 with 3 point spring tine scarifier mount	516 lbs	\$ 10,107.00
<b>WALK-BEHIND</b>			
HPU13G	Model HPU power unit		\$ 12,102.00
W3	Model W3 3ft power rake	385 lbs	\$ 4,838.00
22647MM-0849	Model hydraulic sweeper for walk-behind	400 lbs	\$ 5,492.00

Note: Product not in stock is subject to freight charges.



**PALADIN**  
LIGHT ATTACHMENT TOOLS

[www.paladinlightconstructiongroup.com](http://www.paladinlightconstructiongroup.com)

Part Number	Description	Weight	LIST PRICE FRT EXTRA
<b>GROUP 1 - HYDRAULIC CONTROL OPTIONS</b>			
28-10754	Control box with power lead	5 lbs	\$ 345.00
07-10021	Control box with wire harness for Cat pre-B (8-pin Deutsch)	5 lbs	\$ 320.00
07-10122	Control box with wire harness for standard flow attachments on Cat B and C (8-pin Deutsch)	5 lbs	\$ 303.00
07-10170	Control box with wire harness for high flow attachments on Cat B and C (8-pin Deutsch)	5 lbs	\$ 555.00
LAF9360	Control box with wire harness for CNH, Bobcat and JCB (14-pin Deutsch)	5 lbs	\$ 244.00
LAF9393	Control box with wire harness for CNH (8-pin rectangular)	5 lbs	\$ 191.00
07 7338	Control box with wire harness for John Deere (3-pin Deutsch)	5 lbs	\$ 232.00
LAF9361	Control box with wire harness for John Deere 8-button (14-pin Deutsch)	5 lbs	\$ 233.00
03-10057	Control box with wire harness for John Deere EH control (14-pin Deutsch)	5 lbs	\$ 554.00
07-10194	Control box with wire harness for Komatsu (14-pin Deutsch)	5 lbs	\$ 342.00
07-10057	Control box with wire harness for Komatsu (8-pin Deutsch)	5 lbs	\$ 512.00
<b>EXTENSION</b>			
07 7887	60" extension	2 lbs	\$ 60.00

Note: Product not in stock is subject to freight charges.



**PALADIN**  
LIGHT ATTACHMENT TOOLS

[www.paladinlightconstructiongroup.com](http://www.paladinlightconstructiongroup.com)



RAKE

Applications:

- Finish-grades, removes rocks and debris, and prepares soil in one pass
- Bi-directional drum works the soil in both directions available with manual or hydraulic angling or as rigid-mount; also available with 4-bar floating linkage
- Designed to work on skid-steers, backhoe-loaders, small-wheel loaders and utility loaders

Features:

- Dual-motor design delivers up to 40% more torque (48" model uses single motor)
- Bi-directional drum features heavy-duty carbide teeth
- Available with manual or hydraulic angling to angle 20 degrees in either direction; also available as a rigid-mount, with 4-bar floating linkage
- Dual direct-drive motors eliminate need for chains and sprockets, reducing maintenance; heavy-duty frame extends life

IMPORTANT: Check capacity and limits of tractor loader before ordering. All replacement hydraulic hoses and fittings must have a minimum rated working pressure of 4000 psi. Hoses and hydraulic couplers from the attachment to the skid-steer are included.

Note: Product not in stock is subject to freight charges.

**SPECIFICATIONS**

MODEL	WGT	WIDTH OD	WORKING WIDTH	HEIGHT	DRUM TORQUE @2500 PSI	PSI RANGE	GPM RANGE
LAF5672 & LAF5672H	1050 lbs	83"	72"	30.3"	605 ft-lb	2000-3500	Dec-40
LAF5690 & LAF5690H	1110 lbs	101"	90"	30.3"	605 ft-lb	2000-3500	Dec-40

Part Number	Description	Weight	LIST PRICE FRT EXTRA
<b>GROUP 1- POWER BOX RAKE - DIRECT DRIVE - CHECK LOADER CAPACITY BEFORE ORDERING</b>			
LAF5672	72" working width power rake - manual angle	1200 lbs	\$ 12,607.00
LAF5690	90" working width power rake - manual angle	1275 lbs	\$ 15,113.00
LAF5672H	72" working width power rake - hydraulic angle	1200 lbs	\$ 14,284.00
LAF5690H	90" working width power rake - hydraulic angle	1275 lbs	\$ 16,893.00
<b>GROUP 2 - MOUNTING - ADDITIONAL COST MAY APPLY</b>			
CALL FOR INFORMATION			



[www.paladinlightconstructiongroup.com](http://www.paladinlightconstructiongroup.com)

Part Number	Description	Weight	LIST PRICE FRT EXTRA
<b>GROUP 3 - HYDRAULIC CONTROL OPTIONS</b>			
28-10754	Control box with power lead	5 lbs	\$ 345.00
07-10021	Control box with wire harness for Cat pre-B (8-pin Deutsch)	5 lbs	\$ 320.00
07-10122	Control box with wire harness for standard flow attachments on Cat B and C (8-pin Deutsch)	5 lbs	\$ 303.00
07-10170	Control box with wire harness for high flow attachments on Cat B and C (8-pin Deutsch)	5 lbs	\$ 555.00
LAF9360	Control box with wire harness for CNH, Bobcat and JCB (14-pin Deutsch)	5 lbs	\$ 244.00
LAF9393	Control box with wire harness for CNH (8-pin rectangular)	5 lbs	\$ 191.00
07 7338	Control box with wire harness for John Deere (3-pin Deutsch)	5 lbs	\$ 232.00
LAF9361	Control box with wire harness for John Deere 8-button (14-pin Deutsch)	5 lbs	\$ 233.00
03-10057	Control box with wire harness for John Deere EH control (14-pin Deutsch)	5 lbs	\$ 554.00
07-10194	Control box with wire harness for Komatsu (14-pin Deutsch)	5 lbs	\$ 342.00
07-10057	Control box with wire harness for Komatsu (8-pin Deutsch)	5 lbs	\$ 512.00
<b>EXTENSION</b>			
07 7887	60" extension	2 lbs	\$ 60.00
<b>OPTIONS - ADDITIONAL PARTS</b>			
LAF5650	Hydraulic angle kit f/72" & 90"	35 lbs	\$ 1,594.00
	Floating linkage (must be on original order with power rake)		CALL

Note: Product not in stock is subject to freight charges.





**PALADIN**  
LIGHT ATTACHMENT TOOLS

[www.paladinlightconstructiongroup.com](http://www.paladinlightconstructiongroup.com)



RAKE

**Features:**

- Finish-grades, removes rock and debris, and prepares soil in one pass
- Designed for use with tractor loaders that are equipped with a rear power take off (PTO) and must also provide for a 3-point hitch
- Powerful 8.6" diameter drum works the soil forward Ideal for use in leveling, grading, raking, and seedbed preparation
- Features Wheel arms pivot and store in a vertical position
- Available in 3 widths: 56", 72", and 90"
- Standard 20 degree hydraulic bi-directional angling side gear case
- Spur gears in oil bath
- No chains to maintain
- One bank hydraulic required

IMPORTANT: Check capacity and limits of tractor loader before ordering. All replacement hydraulic hoses and fittings must have a minimum rated working pressure of 4000 psi. Hoses and hydraulic couplers from the attachment to the skid-steer are included

Note: Product not in stock is subject to freight charges.

**SPECIFICATIONS**

MODEL	WGT	WIDTH OD	WORKING WIDTH	WORKING WIDTH @ MAX ANGLE	HEIGHT	HP MIN/MAX	DRUM RPM @ 540 RPM PTO
LAF5676 & LAF5697	1220 lbs	83.5"	72"	67"	38"	28/100	211
LAF5694 & LAF5698	1290 lbs	101.5"	90"	84"	38"	35/100	211

Part Number	Description	Weight	LIST PRICE FRT EXTRA
<b>GROUP 1 - PTO POWER RAKE</b>			
LAF5676	72" working width pto power rake - hydraulic angle	1420 lbs	\$ 13,971.00
LAF5694	90" working width pto power rake - hydraulic angle	1725 lbs	\$ 14,172.00
LAF5697	72" working width pto power rake - manual angle	1420 lbs	\$ 13,128.00
LAF5698	90" working width pto power rake - manual angle	1725 lbs	\$ 13,426.00
<b>OPTIONAL - HYDRAULIC ANGLE KIT</b>			
LAF5695	Hydraulic angle kit for pto power rake	35 lbs	\$ 555.00