



SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

WSP24 WALK-BEHIND ENGINE DRIVE SWEEPER

WSP24 Includes 2 Ft. wide 14" diameter brush, engine and all controls one forward and one reverse speed and light weight for easy handling.

SPECIFICATIONS					
MODEL	WIDTH	PATH @ 15° ANGLE	WEIGHT	BRUSH DIAMETER	BRUSH SPEED
WSP24	24"	20"	133 lbs	14"	350 rpm



Note: Product not in stock is subject to freight charges.

GROUP 1 BASIC SWEEPER			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
WSP24 with poly brush	WSP24	133 lbs	CALL
OPTIONS			
Collection hopper	07-7405	30 lbs	CALL
Plow blade	07-7406	30 lbs	CALL



SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

WSP36 WALK-BEHIND ENGINE DRIVE SWEEPER



SPECIFICATIONS						
MODEL	WIDTH	PATH @ 15° ANGLE	WEIGHT	BRUSH DIAMETER	LOW BRUSH SPEED	HIGH BRUSH SPEED
WSP36	36"	32"	310 lbs	24"	100 rpm	190 rpm

Note: Product not in stock is subject to freight charges.

GROUP 1 BASIC SWEEPER			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
WSP36 2 brush speeds, 5.5 HP Honda	WSP3607	372 lbs	CALL
GROUP 2 BRUSH (one required)			
All polypropylene	P	N/A	INCL
Polypropylene & wire mix	M	N/A	INCL
OPTIONS			
Brush caster wheels (set of 2)	28-10072	25 lbs	CALL
2.50 ft³ collection hopper (28-10072 caster wheels required)	28-5518	50 lbs	CALL



CTM SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

Front-Mount mechanical drive for Commercial Turf mowers.
Includes 24" diameter brush, gearbox and driveline from mower front PTO and lift from mower lift arms.



Note: Product not in stock is subject to freight charges.

GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
M24 4 Ft. mechanical brush head - all polypropylene brush	M24P4A	223 lbs.	CALL
M24 5 Ft. mechanical brush head - all polypropylene brush	M24P5A	248 lbs.	CALL
M24 6 Ft. mechanical brush head - all polypropylene brush	M24P6A	273 lbs.	CALL
M24 4 Ft. mechanical brush head - all polypropylene & wire brush	M24C4A	223 lbs	CALL
M24 5 Ft. mechanical brush head - all polypropylene & wire brush	M24C5A	248 lbs	CALL
M24 6 Ft. mechanical brush head - all polypropylene & wire brush	M24C6A	273 lbs	CALL
GROUP 2 - MOUNTING AND SWING ASSEMBLY (ONE REQUIRED)			
Manual angle mounting & swing for out-front mowers	CMSM	100 lbs	CALL
Manual angle mounting & swing for walk behind mowers	WBMSM	100 lbs	CALL
OPTIONS			
Hydraulic angle no valve (for manual angle sweepers only)	11-4191	6 lbs	CALL
Storage stands	13-0800	25 lbs	CALL
Dirt deflector M24-4, M24-5	11-4414	25 lbs	CALL
Side mount caster wheels	28-9543	35 lbs	CALL
Front mount caster wheels not available on all mountings	11-5818	35 lbs	CALL



CTH SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

Front-Mount Hydraulic drive for Commercial Turf Mowers, manual angle. Includes 26" diameter hydraulically driven brush with quick change core. Includes pump and hydraulic tank to power brush with lift from mower lift arms. Storage stands included. PSI Range: 1200-3500



GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
S26 4 FT hydraulic brush head - all polypropylene brush gpm range 8-15	S26P4SM14	340 lbs.	CALL
S26 5 FT hydraulic brush head - all polypropylene brush gpm range 8-15	S26P5SM14	370 lbs.	CALL
S26 6 FT hydraulic brush head - all polypropylene brush gpm range 8-15	S26P6SM14	400 lbs.	CALL
S26 4 FT hydraulic brush head - all polypropylene & wire brush gpm range 8-15	S26M4SM14	340 lbs	CALL
S26 5 FT hydraulic brush head - all polypropylene & wire brush gpm range 8-15	S26M5SM14	370 lbs	CALL
S26 6 FT hydraulic brush head - all polypropylene & wire brush gpm range 8-15	S26M6SM14	400 lbs	CALL
S26 4 FT hydraulic brush head - all polypropylene brush gpm range 10-18	S26P4SM18	340 lbs	CALL
S26 5 FT hydraulic brush head - all polypropylene brush gpm range 10-18	S26P5SM18	370 lbs	CALL
S26 6 FT hydraulic brush head - all polypropylene brush gpm range 10-18	S26P6SM18	400 lbs	CALL
S26 4 FT hydraulic brush head - all polypropylene & wire brush gpm range 10-18	S26M4SM18	340 lbs	CALL
S26 5 FT hydraulic brush head - all polypropylene & wire brush gpm range 10-18	S26M5SM18	370 lbs	CALL
S26 6 FT hydraulic brush head - all polypropylene & wire brush gpm range 10-18	S26M6SM18	400 lbs	CALL
GROUP 2 - MOUNTING AND SWING ASSEMBLY (One Required)			
Mounting & swing with hydraulic pump and tank for out front mowers	CMSH	240 lbs.	CALL
Mounting & swing without hydraulic pump and tank for out front mowers (requires 12 to 16 GPM @ 2000 PSI to operate sweeper)	CMSMH	100 lbs	CALL
OPTIONS			
Hydraulic angle no valve (For Manual Angle Sweepers Only)	11-4191	6 lbs	CALL
Hydraulic angle with electric valve & box	11-5310	15 lbs	CALL
Side mount caster wheels S26 (prior to 0713001 / after 0713001)	28-9890/28-10498	45 lbs	CALL
Side mount caster wheels S30 (prior to 0713001 / after 0713001)	28-9891/28-10499	55 lbs	CALL
Dirt deflector S26/S30-4 (prior to 0713001) (prior to 0713001 / after 0713001)	28-9757/28-10162-4	25 lbs	CALL
Dirt deflector S26/S30-5 (prior to 0713001) (prior to 0713001 / after 0713001)	28-9756/28-10162-5	30 lbs	CALL
Dirt deflector S26/S30-6 (after to 0713001) (prior to 0713001 / after 0713001)	28-9752/28-10162-6	35 lbs	CALL

Note: Product not in stock is subject to freight charges.



MRH SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

Front-Mount Hydraulic Drive for Compact Tractors, manual angle
Includes 26" or 30" diameter hydraulically driven brush with quick-change core, pump and hydraulic tank to power brush with lift from tractor valve storage stands included. PSI range 1200-3500



GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
Description 26" Diameter Brush Head	Order Code	Wgt	LIST PRICE FRT EXTRA
S26 4 Ft. Hydraulic brush head - all polypropylene brush gpm range 8-15	S26P4SM14	340 lbs.	CALL
S26 5 Ft. Hydraulic brush head - all polypropylene brush gpm range 8-15	S26P5SM14	370 lbs.	CALL
S26 6 Ft. Hydraulic brush head - all polypropylene brush gpm range 8-15	S26P6SM14	400 lbs.	CALL
S26 4 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 8-15	S26M4SM14	340 lbs	CALL
S26 5 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 8-15	S26M5SM14	370 lbs	CALL
S26 6 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 8-15	S26M6SM14	400 lbs	CALL
S26 4 Ft. Hydraulic brush head - all polypropylene brush gpm range 10-18	S26P4SM18	340 lbs	CALL
S26 5 Ft. Hydraulic brush head - all polypropylene brush gpm range 10-18	S26P5SM18	370 lbs	CALL
S26 6 Ft. Hydraulic brush head - all polypropylene brush gpm range 10-18	S26P6SM18	400 lbs	CALL
S26 4 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	S26M4SM18	340 lbs	CALL
S26 5 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	S26M5SM18	370 lbs	CALL
S26 6 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	S26M6SM18	400 lbs	CALL
30" Diameter Brush Head			
S30 5 Ft. Hydraulic brush head- all polypropylene brush gpm range 8-15	S30P5SM14	420 lbs	CALL
S30 6 Ft. Hydraulic brush head- all polypropylene brush gpm range 8-15	S30P6SM14	450 lbs	CALL
S30 7 Ft. Hydraulic brush head- all polypropylene brush gpm range 8-15	S30P7SM14	480 lbs	CALL
S30 5 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 8-15	S30M5SM14	420 lbs	CALL
S30 6 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 8-15	S30M6SM14	450 lbs	CALL
S30 7 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 8-15	S30M7SM14	480 lbs	CALL
S30 5 Ft. Hydraulic brush head- all polypropylene brush gpm range 10-18	S30P5SM18	420 lbs	CALL
S30 6 Ft. Hydraulic brush head- all polypropylene brush gpm range 10-18	S30P6SM18	450 lbs	CALL
S30 7 Ft. Hydraulic brush head- all polypropylene brush gpm range 10-18	S30P7SM18	480 lbs	CALL
S30 5 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	S30M5SM18	420 lbs	CALL
S30 6 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	S30M6SM18	450 lbs	CALL
S30 7 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	S30M7SM18	480 lbs	CALL

Note: Product not in stock is subject to freight charges.



MRH SWEEPER

SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

GROUP 2 - MOUNTING AND SWING ASSEMBLY (ONE REQUIRED)			
Description	Order Code	Wgt	LIST PRICE FRT EXTRA
Rear mounted hydraulic pump & tank for compact utility tractors	THMSMR	240 lbs	CALL
Mid mounted hydraulic pump and tank for compact utility tractors	THMSMM	240 lbs	CALL
OPTIONS			
Hydraulic angle no valve (for manual angle sweepers only)	11-4191	6 lbs	CALL
Hydraulic angle with electric valve and box	11-5310	15 lbs	CALL
3-point mounted hydraulic system with tank, PTO driven pump & pressure relief	11-7692	144 lbs	CALL
Quick coupler kit for 3-point hydraulic system	28-10014	24 lbs	CALL
Dirt deflector S26/S30-4 (prior to 0713001 / after 0713001)	28-9757 / 28-10162-4	25 lbs	CALL
Dirt deflector S26/S30-5 (prior to 0713001 / after 0713001)	28-9756 / 28- 10162-5	30 lbs	CALL
Dirt deflector S26/S30-6 (prior to 0713001 / after 0713001)	28-9752 / 28- 10162-6	35 lbs	CALL
Dirt deflector S30-7 (prior to 0713001 / after 0713001)	28-9763 / 28- 10162-7	40 lbs	CALL
Side mount caster wheels S26 (prior to 0713001)	28-9890	45 lbs	CALL
Side mount caster wheels S26 (after 0713001/current production)	28-10498	45 lbs	CALL
Side mount caster wheels S30 (prior to 0713001)	28-9891	55 lbs	CALL
Side mount caster wheels S30 (after 0713001/current production)	28-10499	55 lbs	CALL

Note: Product not in stock is subject to freight charges.



MRHL SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

Front-Mount Hydraulic Drive for Skid-Steers and Compact Tractor Loaders, manual angle is standard. Includes 26" or 30" diameter brush, with quick-change core, universal SSL mounting and manual angle as standard equipment. The sweeper is mounted to, and raised by the loader arms. The brush is powered from the Skid-Steer 3rd function valve, or an independent hydraulic system powered by the tractor PTO. There is a 10-16 gpm hydraulic flow required at 2000-2500 psi, Limited to SSL's with lift capacity under 1300 lbs and small to mid-size frame compact tractors with loaders.



GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
Description - 26" Diameter Brush Head	Order Code	WGT	LIST PRICE FRT EXTRA
S26 4 Ft. Hydraulic brush head - all polypropylene brush gpm range 8-15	22248P	380 lbs.	CALL
S26 5 Ft. Hydraulic brush head - all polypropylene brush gpm range 8-15	22260P	440 lbs.	CALL
S26 6 Ft. Hydraulic brush head - all polypropylene brush gpm range 8-15	22272P	500 lbs.	CALL
S26 4 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 8-15	22248M	380 lbs	CALL
S26 5 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 8-15	22260M	440 lbs	CALL
S26 6 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 8-15	22272M	500 lbs	CALL
S26 4 Ft. Hydraulic brush head - all polypropylene brush gpm range 10-18	22249P	380 lbs	CALL
S26 5 Ft. Hydraulic brush head - all polypropylene brush gpm range 10-18	22261P	440 lbs	CALL
S26 6 Ft. Hydraulic brush head - all polypropylene brush gpm range 10-18	22273P	500 lbs	CALL
S26 4 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	22249M	380 lbs	CALL
S26 5 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	22261M	440 lbs	CALL
S26 6 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	22273M	500 lbs	CALL
30 Inch Diameter Brush Head			
S30 4 Ft. Hydraulic brush head- all polypropylene brush gpm range 8-15	22548P	480 lbs	CALL
S30 5 Ft. Hydraulic brush head- all polypropylene brush gpm range 8-15	22560P	540 lbs	CALL
S30 6 Ft. Hydraulic brush head- all polypropylene brush gpm range 8-15	22572P	600 lbs	CALL
S30 4 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 8-15	22548M	480 lbs	CALL
S30 5 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 8-15	22560M	540 lbs	CALL
S30 6 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 8-15	22572M	600 lbs	CALL
S30 4 Ft. Hydraulic brush head- all polypropylene brush gpm range 10-18	22549P	480 lbs	CALL
S30 5 Ft. Hydraulic brush head- all polypropylene brush gpm range 10-18	22561P	540 lbs	CALL
S30 6 Ft. Hydraulic brush head- all polypropylene brush gpm range 10-18	22573P	600 lbs	CALL
S30 7 Ft. Hydraulic brush head- all polypropylene brush gpm range 10-18	22585P	660 lbs	CALL
S30 4 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	22549M	480 lbs	CALL
S30 5 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	22561M	540 lbs	CALL
S30 6 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	22573M	600 lbs	CALL
S30 7 Ft. Hydraulic brush head - all polypropylene & wire brush gpm range 10-18	22585M	660 lbs	CALL

Note: Product not in stock is subject to freight charges.



MRHL SWEEPER

SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

GROUP 2 - ANGLE TYPE MANUAL OR HYDRAULIC (ONE REQUIRED)	Order Code	WGT	LIST PRICE FRT EXTRA
Manual Angle Change	M	N/A	INCL
Hydraulic Angle Change with electric valve—12-volt	H	22 lbs	CALL
Hydraulic Angle Change with electric valve—24-volt	H2	22 lbs	CALL
Hydraulic Angle Change cylinder and 72" hoses only	H3	10 lbs	CALL
Hydraulic Angle Change cylinder and 144" hoses	H4	20 lbs	CALL
Hydraulic Angle Change cylinder only	H5	17 lbs	CALL
GROUP 3 - HYDRAULIC CONTROL OPTIONS			
Control with power lead	28-10754	5 lbs	CALL
Control wire harness for Cat pre-B (8 pin Deutsch)	07-10021	5 lbs	CALL
Control box with wire harness for standard flow attachments on Cat B and C (8 pin Deutsch)	07-10122	5 lbs	CALL
Control box with wire harness for high flow attachments on Cat B and C (8 pin Deutsch)	07-10170	5 lbs	CALL
Control box with wire harness for CNH, Bobcat, Case & JCB (14 pin Deutsch)	LAF9360	5 lbs	CALL
Control box with wire harness for CNH (8 pin rectangular)	LAF9393	5 lbs	CALL
Control box with wire harness for John Deere (3 pin Deutsch)	07-7338	5 lbs	CALL
Control box with wire harness for John Deere 8-button (14 pin Deutsch)	LAF9361	5 lbs	CALL
Control box with wire harness for John Deere EH control (14 pin Deutsch)	03-10057	5 lbs	CALL
Control box with wire harness for Komatsu (14 pin Deutsch)	07-10194	5 lbs	CALL
Control box with wire harness for Komatsu (8 pin Deutsch)	07-10057	5 lbs	CALL
60" Extension	07-7887	2 lbs	CALL
GROUP 4 - MOUNTING (ONE REQUIRED) - Contact us for additional mountings			
Universal skid steer mounting SAE J2513 limited to skid steers under 1,300 lbs. lift capacity	22	N/A	INCL
OPTIONS			
Conversion kit manual to hydraulic with box	11-5433	15 lbs	CALL
Conversion kit manual to hydraulic without box	11-4191	6 lbs	CALL
3-point mounted hydraulic system with tank, PTO driven pump & pressure relief	11-7692	144 lbs	CALL
Quick coupler kit for 3-point hydraulic system	28-10014	24 lbs	CALL
Dirt deflector S26/S30-4 (prior to 0713001 / after 0713001)	28-9757/28-10162-4	25 lbs.	CALL
Dirt deflector S26/S30-5 (prior to 0713001 / after 0713001)	28-9756/28-10162-5	30 lbs.	CALL
Dirt deflector S26/S30-6 (prior to 0713001 / after 0713001)	28-9752/28-10162-6	35 lbs.	CALL
Dirt deflector S30-7 (prior to 0713001 / after 0713001)	28-9763/28-10162-7	40 lbs	CALL
Side mount caster wheels S26 (prior to 0713001)	28-9890	45 lbs	CALL
Side mount caster wheels S26 (after 0713001/current production)	28-10498	45 lbs.	CALL
Side mount caster wheels S30 (prior to 0713001)	28-9891	55 lbs	CALL
Side mount caster wheels S30 (after 0713001/current production)	28-10499	55 lbs.	CALL

Note: Product not in stock is subject to freight charges.



RHFA SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstruction.com

3-Point mechanical Drive for Utility, Industrial & Compact Tractors, mechanical sweeper. Includes 32" diameter brush, gearbox and driveline to power broom from rear 540 PTO of tractor and mount to Category I and II rear 3-Point. Lifts with 3-Point arms with manual angle standard. For tractors with greater than 1,000 lb. 3-Point lift capacity.



GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
Description	Order Code	WGT	LIST PRICE FRT EXTRA
RHFA 5 Ft. Mechanical Sweeper - all polypropylene brush	RHFA5P	750 lbs.	CALL
RHFA 6 Ft. Mechanical Sweeper - all polypropylene brush	RHFA6P	850 lbs.	CALL
RHFA 7 Ft. Mechanical Sweeper - all polypropylene brush	RHFA7P	950 lbs.	CALL
RHFA 8 Ft. Mechanical Sweeper - all polypropylene brush	RHFA8P	1,050 lbs.	CALL
RHFA 5 Ft. Mechanical Sweeper - all polypropylene & wire brush	RHFA5M	750 lbs	CALL
RHFA 6 Ft. Mechanical Sweeper - all polypropylene & wire brush	RHFA6M	850 lbs	CALL
RHFA 7 Ft. Mechanical Sweeper - all polypropylene & wire brush	RHFA7M	950 lbs	CALL
RHFA 8 Ft. Mechanical Sweeper - all polypropylene & wire brush	RHFA8M	1,050 lbs	CALL
GROUP 2 - ANGLE MANUAL OR HYDRAULIC (ONE REQUIRED)			
Manual Angle Link	M	6 lbs	INCL
Hydraulic Angle Cylinder & 72" Hoses No Valve	H	20 lbs	CALL
GROUP 3 - MOUNTING (ONE REQUIRED)			
Cat I & Cat II 3-point mounting assembly	-52	N/A	INCL
OPTIONS			
Casters	13-1603	100 lbs	CALL
Sight indicators flags	11-5897	25 lbs	CALL
Sight indicators balls	28-9965	25 lbs	CALL
Steel dirt deflector	RHFADD	75 lbs	CALL
Rubber dirt deflector flap	28-9951	65 lbs	CALL
Sprinkler system tank 25 gallon with mounting and shutoff (Cat I only)	11-5739	75 lbs	CALL
Sprinkler kit no tank 12v for all lengths	28-9919	25 lbs	CALL
180 hood 5 ft factory installed	28-9783	50 lbs	CALL
180 hood 6 ft factory installed	28-9784	55 lbs	CALL
180 hood 7 ft factory installed	28-9785	60 lbs	CALL
180 hood 8 ft factory installed	28-9786	65 lbs	CALL
180 hood 5 ft field installed	28-9722	50 lbs	CALL
180 hood 6 ft field installed	28-9723	55 lbs	CALL
180 hood 7 ft field installed	28-9724	60 lbs	CALL
180 hood 8 ft field installed	28-9725	65 lbs	CALL

Note: Product not in stock is subject to freight charges.



RMRM SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com



3-Point Mechanical Drive for Utility, Industrial & Compact Tractors, Mechanical sweeper. Includes 24" diameter brush, gearbox and driveline to power broom from rear 540 PTO of tractor and mount to Category I rear 3-Point. Lifts with 3-Point arms with manual angle standard. Limited to tractors under 30 HP.

GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
Description	Order Code	WGT	LIST PRICE FRT EXTRA
RM24 4 Ft. Mechanical Sweeper - all polypropylene brush	M24P4A	370 lbs.	CALL
RM24 5 Ft. Mechanical Sweeper - all polypropylene brush	M24P5A	430 lbs.	CALL
RM24 6 Ft. Mechanical Sweeper - all polypropylene brush	M24P5A	490 lbs.	CALL
RM24 4 Ft. Mechanical Sweeper - all polypropylene & wire brush	M24C4A	370 lbs	CALL
RM24 5 Ft. Mechanical Sweeper - all polypropylene & wire brush	M24C5A	430 lbs	CALL
RM24 6 Ft. Mechanical Sweeper - all polypropylene & wire brush	M24C6A	490 lbs	CALL
GROUP 2 - MOUNTING & DRIVE (REQUIRED)			
Category I 3-point mounting assembly	11-17383	135 lbs	CALL
OPTIONS			
Hydraulic angle no valve	835615	6 lbs	CALL
Storage stands	13-0800	25 lbs	CALL
Side mount caster wheels	28-9543	35 lbs	CALL

Note: Product not in stock is subject to freight charges.



RLH SWEEPER

SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

Includes 32" diameter brush with quick change core and mounting for category I & II rear 3-Point. Lift with 3-Point arms with manual angle standard. Brush is driven from tractor hydraulic system or from hydraulic system supplied with sweeper. For tractors with greater than 1,000 lb. 3-Point capacity.

GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
Description	Order Code	WGT	LIST PRICE FRT EXTRA
Brush Head with single 18" cubic inch motor (SM18) - 10-18 gpm - 2000-3000 psi			
QC 5 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P5SM18	383 lbs	CALL
QC 6 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P6SM18	442 lbs	CALL
QC 7 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P7SM18	505 lbs	CALL
QC 8 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P8SM18	572 lbs	CALL
QC 9 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P9SM18	639 lbs	CALL
Brush Head with single 18" cubic inch motor (SM18) - 10-18 gpm - 2000-3000 psi (Wire)			
QC 5 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M5SM18	383 lbs	CALL
QC 6 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M6SM18	442 lbs	CALL
QC 7 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M7SM18	505 lbs	CALL
QC 8 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M8SM18	572 lbs	CALL
QC 9 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M9SM18	639 lbs	CALL
Brush Head with single 28" cubic inch motor (SM28) - 12-15 gpm - 2000-3000 psi			
QC 5 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P5SM28	383 lbs	CALL
QC 6 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P6SM28	442 lbs	CALL
QC 7 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P7SM28	505 lbs	CALL
QC 8 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P8SM28	572 lbs	CALL
QC 9 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P9SM28	639 lbs	CALL
Brush Head with single 28" cubic inch motor (SM28) - 12-15 gpm - 2000-3000 psi (Wire)			
QC 5 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M5SM28	383 lbs	CALL
QC 6 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M6SM28	442 lbs	CALL
QC 7 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M7SM28	505 lbs	CALL
QC 8 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M8SM28	572 lbs	CALL
QC 9 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M9SM28	639 lbs	CALL
Brush Head with dual 18" cubic inch motor (DM18) - 20-36 gpm - 2000-3500 psi			
QC 5 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P5DM18	383 lbs	CALL
QC 6 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P6DM18	442 lbs	CALL
QC 7 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P7DM18	505 lbs	CALL
QC 8 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P8DM18	572 lbs	CALL
QC 9 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P9DM18	639 lbs	CALL
Brush Head with dual 18" cubic inch motor (DM18) - 20-36 gpm - 2000-3500 psi (Wire)			
QC 5 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M5DM18	383 lbs	CALL
QC 6 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M6DM18	442 lbs	CALL
QC 7 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M7DM18	505 lbs	CALL
QC 8 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M8DM18	572 lbs	CALL
QC 9 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M9DM18	639 lbs	CALL

Note: Product not in stock is subject to freight charges.



RLH SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

GROUP 2 - ANGLE (MANUAL OR HYDRAULIC)			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Manual angle link	13-3406	15 lbs	CALL
Hydraulic angle cylinder & 72" hoses - no valve	11-4298	30 lbs	CALL
GROUP 3 - REAR 3-POINT MOUNGINT CAT I OR II (ONE REQUIRED)			
With broom driven by tractor hydraulics (Cat I)	11-5031	425 lbs	CALL
With 20 gpm hydraulic system for use with S28 & DM18 hydraulic motors	11-4202	625 lbs	CALL
With broom driven by tractor hydraulics (Cat II)	11-5045	325 lbs	CALL
OPTIONS			
Steel dirt deflector	RHFADD	75 lbs.	CALL
Rubber dirt deflector	28-9951	65 lbs	CALL
Sprinkler system tank 25 gallon with mounting and shutoff	11-5739	75 lbs.	CALL
Sprinkler kit no tank 12v for all lengths	28-9919	25 lbs.	CALL
180 hood factory installed for RLH 5	28-10311-5	50 lbs	CALL
180 hood factory installed for RLH 6	28-10311-6	55 lbs	CALL
180 hood factory installed for RLH 7	28-10311-7	60 lbs	CALL
180 hood factory installed for RLH 8	28-10311-8	65 lbs	CALL
180 hood field installed for RLH 5	28-10361-5	50 lbs	CALL
180 hood field installed for RLH 6	28-10361-6	55 lbs	CALL
180 hood field installed for RLH 7	28-10361-7	60 lbs	CALL
180 hood field installed for RLH 8	28-10361-8	65 lbs	CALL

Note: Product not in stock is subject to freight charges.



AH/CH SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com



Front-Mount Hydraulic Drive for Utility and Industrial Tractors. AH (35 hp+) / CH (40 hp+) Sweeper (hydraulic drive sweeper)
Includes 32" diameter brush, quick-change core, hydraulic pump, tank and valve options to operate sweeper. Hydraulic lift and angle is standard.

GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Brush head with single motor - 10-18 gpm, 2000-3500 psi			
QC 5 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P5SM18	383 lbs	CALL
QC 6 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P6SM18	442 lbs	CALL
QC 7 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P7SM18	505 lbs	CALL
QC 8 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P8SM18	572 lbs	CALL
QC 9 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P9SM18	639 lbs	CALL
Brush head with single motor - 12-25 gpm, 2000-3000 psi			
QC 5 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P5SM28	383 lbs	CALL
QC 6 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P6SM28	442 lbs	CALL
QC 7 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P7SM28	505 lbs	CALL
QC 8 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P8SM28	572 lbs	CALL
QC 9 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P9SM28	639 lbs	CALL
Brush head with dual motor - 20-36 gpm, 2000-3500 psi			
QC 5 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P5DM18	383 lbs	CALL
QC 6 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P6DM18	442 lbs	CALL
QC 7 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P7DM18	505 lbs	CALL
QC 8 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P8DM18	572 lbs	CALL
QC 9 Ft. Hydraulic Drive Brush Head - all polypropylene brush	QC32P9DM18	639 lbs	CALL
Brush head with single motor - 10-18 gpm, 2000-3500 psi (Wire)			
QC 5 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M5SM18	383 lbs	CALL
QC 6 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M6SM18	442 lbs	CALL
QC 7 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M7SM18	505 lbs	CALL
QC 8 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M8SM18	572 lbs	CALL
QC 9 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M9SM18	639 lbs	CALL
Brush head with single motor - 12-25 gpm, 2000-3000 psi (Wire)			
QC 5 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M5SM28	383 lbs	CALL
QC 6 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M6SM28	442 lbs	CALL
QC 7 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M7SM28	505 lbs	CALL
QC 8 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M8SM28	572 lbs	CALL
QC 9 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M9SM28	639 lbs	CALL
Brush head with dual motor - 20-36 gpm, 2000-3500 psi (Wire)			
QC 5 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M5DM18	383 lbs	CALL
QC 6 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M6DM18	442 lbs	CALL
QC 7 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M7DM18	505 lbs	CALL
QC 8 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M8DM18	572 lbs	CALL
QC 9 Ft. Hydraulic Drive Brush Head - all polypropylene & wire brush	QC32M9DM18	639 lbs	CALL

Note: Product not in stock is subject to freight charges.



AH/CH SWEEPER

SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

GROUP 2 - SWING ASSEMBLY (ONE REQUIRED)			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Heavy Duty Plate Type - Offsets brush to the side, brush is angled (recommended when sweeping at less than a 30 degree angle)	28-4612	290 lbs	CALL
Scissor Type - brush stays centered on vehicle when angle 30 degrees left or right	11-0790	282 lbs	CALL
GROUP 3 - 20 GPM PUMP LOCATION (ONE REQUIRED)			
Rear pto driven (standard)	RPD	N/A	CALL
Front crankshaft driven (not available for all tractors)	FPD	N/A	INCL
Mid pto driven (available for limited tractors)	MPD	N/A	INCL
GROUP 4 - MOUNTING (ONE REQUIRED).			
Tractor mounting assembly with hydraulic system - pump, tank & valve option			
With manual lift, swing and run valves (not available for cab tractors)	MV	468 lbs	CALL
With electric run valve for FPD mountings (lift & swing operated from tractor remotes)	RUV	468 lbs	CALL
With electric valves lift, swing and run valves	EV	468 lbs	CALL
With no valves brush turned off with PTO (lift & wing operated from tractor remotes)	NV	468 lbs	CALL
Tractor mounting assembly operated from tractor hydraulic system, valve option only			
With manual lift, swing and run valves (not available for cab tractors)	HMV	468 lbs	CALL
With electric run valve (lift and swing operated from tractor remotes)	HRUV	468 lbs	CALL
With electric valves lift, swing and run valves	HEV	468 lbs	CALL
With no valves (run lift and wing operated with tractor remotes)	HNV	468 lbs	CALL
OPTIONS			
Sight indicator flags	11-5897	10 lbs	CALL
Sight indicator red balls	28-9965	10 lbs	CALL
Bolt on stand kit front/rear	28-10315	60 lbs	CALL
Sprinkler system fits all nozzles mount to hood, no tank	28-9919	25 lbs	CALL
Sprinkler system tank 25 gallon with shutoff	28-4319	75 lbs	CALL
200 Gallon 3-point mounted water tank	11-5734	250 lbs	CALL
180 hood factory installed for QC 5	28-10311-5	50 lbs	CALL
180 hood factory installed for QC 6	28-10311-6	55 lbs	CALL
180 hood factory installed for QC 7	28-10311-7	60 lbs	CALL
180 hood factory installed for QC 8	28-10311-8	65 lbs	CALL
180 hood factory installed for QC 9	28-10311-9	70 lbs	CALL
180 hood field installed for QC 5	28-10361-5	50 lbs	CALL
180 hood field installed for QC 6	28-10361-6	55 lbs	CALL
180 hood field installed for QC 7	28-10361-7	60 lbs	CALL
180 hood field installed for QC 8	28-10361-8	65 lbs	CALL
180 hood field installed for QC 9	28-10361-9	70 lbs	CALL

Note: Product not in stock is subject to freight charges.



AH/CH SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

OPTIONS			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Drape deflector includes 180 hood ext. factory installed for QC-5	28-10312-5	65 lbs	CALL
Drape deflector includes 180 hood ext. factory installed for QC-6	28-10312-6	70 lbs	CALL
Drape deflector includes 180 hood ext. factory installed for QC-7	28-10312-7	75 lbs	CALL
Drape deflector includes 180 hood ext. factory installed for QC-8	28-10312-8	80 lbs	CALL
Drape deflector includes 180 hood ext. factory installed for QC-9	28-10312-9	85 lbs	CALL
Drape deflector includes 180 hood ext. field installed for QC-5	28-10362-5	65 lbs	CALL
Drape deflector includes 180 hood ext. field installed for QC-6	28-10362-6	70 lbs	CALL
Drape deflector includes 180 hood ext. field installed for QC-7	28-10362-7	75 lbs	CALL
Drape deflector includes 180 hood ext. field installed for QC-8	28-10362-8	80 lbs	CALL
Drape deflector includes 180 hood ext. field installed for QC-9	28-10362-9	85 lbs	CALL

Note: Product not in stock is subject to freight charges.



HR SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com



High-Raise Front Mount for Utility & Industrial Tractors, 35-40+ HP, hydraulic drive sweeper. Includes 36" diameter brush with quick-change core, hydraulic pump, tank and valves to operate sweeper. Hydraulic lift and angle is standard. High-Raise feature lifts broom to 38 inches. Ground to center of core will vary with tire size.

GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Brush head with single motor - 14-25 gpm, 2000-3000 psi			
HR 6 Ft. Hydraulic Drive Brush Head - 54.5 path at 40 degree angle - all polypropylene brush	HR36P6S28	720 lbs	CALL
HR 7 Ft. Hydraulic Drive Brush Head - 63.5 path at 40 degree angle - all polypropylene brush	HR36P7S28	752 lbs	CALL
HR 8 Ft. Hydraulic Drive Brush Head - 72.75 path at 40 degree angle - all polypropylene brush	HR36P8S28	783 lbs	CALL
Brush head with single motor - 14-25 gpm, 2000-3000 psi			
HR 6 Ft. Hydraulic Drive Brush Head - 54.5 path at 40 degree angle - all polypropylene & wire brush	HR36M6S28	720 lbs	CALL
HR 7 Ft. Hydraulic Drive Brush Head - 63.5 path at 40 degree angle - all polypropylene & wire brush	HR36M7S28	752 lbs	CALL
HR 8 Ft. Hydraulic Drive Brush Head - 72.75 path at 40 degree angle - all polypropylene & wire brush	HR36M8S28	783 lbs	CALL
Brush head with single motor - 14-25 gpm, 2000-3000 psi			
HR 6 Ft. Hydraulic Drive Brush Head - 54.5 path at 40 degree angle - all polypropylene tube brush	HR36PT6S28	720 lbs	CALL
HR 7 Ft. Hydraulic Drive Brush Head - 63.5 path at 40 degree angle - all polypropylene tube brush	HR36PT7S28	752 lbs	CALL
HR 8 Ft. Hydraulic Drive Brush Head - 72.75 path at 40 degree angle - all polypropylene tube brush	HR36PT8S28	783 lbs	CALL
Brush head with single motor - 14-25 gpm, 2000-3000 psi			
HR 6 Ft. Hydraulic Drive Brush Head - 54.5 path at 40 degree angle - all polypropylene & wire tube brush	HR36MT6S28	720 lbs	CALL
HR 7 Ft. Hydraulic Drive Brush Head - 63.5 path at 40 degree angle - all polypropylene & wire tube brush	HR36MT7S28	752 lbs	CALL
HR 8 Ft. Hydraulic Drive Brush Head - 72.75 path at 40 degree angle - all polypropylene & wire tube brush	HR36MT8S28	783 lbs	CALL
Brush head with dual motor - 22-35 gpm, 2000-3500 psi			
HR 6 Ft. Hydraulic Drive Brush Head - 54.5 path at 40 degree angle - all polypropylene brush	HR36P6D18	720 lbs	CALL
HR 7 Ft. Hydraulic Drive Brush Head - 63.5 path at 40 degree angle - all polypropylene brush	HR36P7D18	752 lbs	CALL
HR 8 Ft. Hydraulic Drive Brush Head - 72.75 path at 40 degree angle - all polypropylene brush	HR36P8D18	783 lbs	CALL
Brush head with dual motor - 22-35 gpm, 2000-3500 psi			
HR 6 Ft. Hydraulic Drive Brush Head - 54.5 path at 40 degree angle - all polypropylene & wire brush	HR36M6D18	720 lbs	CALL
HR 7 Ft. Hydraulic Drive Brush Head - 63.5 path at 40 degree angle - all polypropylene & wire brush	HR36M7D18	752 lbs	CALL
HR 8 Ft. Hydraulic Drive Brush Head - 72.75 path at 40 degree angle - all polypropylene & wire brush	HR36M8D18	783 lbs	CALL
Brush head with dual motor - 22-35 gpm, 2000-3500 psi			
HR 6 Ft. Hydraulic Drive Brush Head - 54.5 path at 40 degree angle - all polypropylene tube brush	HR36PT6D18	720 lbs	CALL
HR 7 Ft. Hydraulic Drive Brush Head - 63.5 path at 40 degree angle - all polypropylene tube brush	HR36PT7D18	752 lbs	CALL
HR 8 Ft. Hydraulic Drive Brush Head - 72.75 path at 40 degree angle - all polypropylene tube brush	HR36PT8D18	783 lbs	CALL
Brush head with dual motor - 22-35 gpm, 2000-3500 psi			
HR 6 Ft. Hydraulic Drive Brush Head - 54.5 path at 40 degree angle - all polypropylene & wire tube brush	HR36MT6D18	720 lbs	CALL
HR 7 Ft. Hydraulic Drive Brush Head - 63.5 path at 40 degree angle - all polypropylene & wire tube brush	HR36MT7D18	752 lbs	CALL
HR 8 Ft. Hydraulic Drive Brush Head - 72.75 path at 40 degree angle - all polypropylene & wire tube brush	HR36MT8D18	783 lbs	CALL

Note: Product not in stock is subject to freight charges.



HR SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com



High-Raise Front Mount for Utility & Industrial Tractors, 35-40+ HP, hydraulic drive sweeper.
Includes 36" diameter brush with quick-change core, hydraulic pump, tank and valves to operate sweeper. Hydraulic lift and angle is standard. High-Raise feature lifts broom to 38 inches. Ground to center of core will vary with tire size.

GROUP 2 - MOUNTING (ONE REQUIRED)			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Tractor mounting assembly with manual lift, swing and run valves	MV	468 lbs	CALL
OPTIONS			
Sight indicator flags	11-5897	10 lbs	CALL
Sight indicator ball	28-9965	10 lbs	CALL
Sprinkler system pump, filter, nozzles	28-9919	25 lbs	CALL
Remote cable valve control for cabs	RC	25 lbs	CALL
180 hood factory installed For HR-6	28-9930-6	55 lbs	CALL
180 hood factory installed For HR-7	28-9930-7	60 lbs	CALL
180 hood factory installed For HR-8	28-9930-8	65 lbs	CALL
Drape deflector includes 180 hood field installed For HR-6	28-9918-6	70 lbs	CALL
Drape deflector includes 180 hood field installed For HR-7	28-9918-7	75 lbs	CALL
Drape deflector includes 180 hood field installed For HR-8	28-9918-8	80 lbs	CALL

Note: Product not in stock is subject to freight charges.



QCSS SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

Front-Mount Hydraulic Drive for Skid-Steers, hydraulic drive sweeper. Includes 32" diameter brush with quick-change core, universal SSL mounting. Designed for skid-steers and other equipment with a hydraulic flow of 12 to 36 GPM at 2000 to 3500 PSI with the Universal SSL quick-attach.



GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Brush head with single motor - 10-18 gpm, 2000-3500 psi			
QC 5 Ft. Hydraulic drive brush head - all polypropylene brush	22059P	793 lbs.	CALL
QC 6 Ft. Hydraulic drive brush head - all polypropylene brush	22071P	852 lbs.	CALL
QC 7 Ft. Hydraulic drive brush head - all polypropylene brush	22083P	915 lbs.	CALL
Brush head with single motor - 12-25 gpm, 2000-0500 psi			
QC 5 Ft. Hydraulic drive brush head - all polypropylene & wire brush	22059M	793 lbs	CALL
QC 6 Ft. Hydraulic drive brush head - all polypropylene & wire brush	22071M	852 lbs	CALL
QC 7 Ft. Hydraulic drive brush head - all polypropylene & wire brush	22083M	915 lbs	CALL
Brush head with single motor - 20-36 gpm, 2000-3500 psi			
QC 5 Ft. Hydraulic drive brush head - all polypropylene brush	22060P	831 lbs	CALL
QC 6 Ft. Hydraulic drive brush head - all polypropylene brush	22072P	890 lbs	CALL
QC 7 Ft. Hydraulic drive brush head - all polypropylene brush	22084P	953 lbs	CALL
QC 8 Ft. Hydraulic drive brush head - all polypropylene brush	22096P	1020 lbs	CALL
Brush head with dual motor - 20-36 gpm, 2000-3500 psi			
QC 5 Ft. Hydraulic drive brush head - all polypropylene & wire brush	22060M	831 lbs	CALL
QC 6 Ft. Hydraulic drive brush head - all polypropylene & wire brush	22072M	890 lbs	CALL
QC 7 Ft. Hydraulic drive brush head - all polypropylene & wire brush	22084M	953 lbs	CALL
QC 8 Ft. Hydraulic drive brush head - all polypropylene & wire brush	22096M	1020 lbs	CALL
Brush head with dual motor - 20-36 gpm, 2000-3500 psi			
QC 5 Ft. Hydraulic drive brush head - all polypropylene brush	22061P	831 lbs	CALL
QC 6 Ft. Hydraulic drive brush head - all polypropylene brush	22073P	890 lbs	CALL
QC 7 Ft. Hydraulic drive brush head - all polypropylene brush	22085P	953 lbs	CALL
QC 8 Ft. Hydraulic drive brush head - all polypropylene brush	22097P	1020 lbs	CALL
Brush head with dual motor - 20-36 gpm, 2000-3500 psi			
QC 5 Ft. Hydraulic drive brush head - all polypropylene & wire brush	22061M	831 lbs	CALL
QC 6 Ft. Hydraulic drive brush head - all polypropylene & wire brush	22073M	890 lbs	CALL
QC 7 Ft. Hydraulic drive brush head - all polypropylene & wire brush	22085M	953 lbs	CALL
QC 8 Ft. Hydraulic drive brush head - all polypropylene & wire brush	22097M	1020 lbs	CALL

Note: Product not in stock is subject to freight charges.



www.paladinlightconstructiongroup.com

QCSS SWEEPER

**SWEEPSTER
U.S. PRODUCT**

GROUP 2 - ANGLE TYPE MANUAL OR HYDRAULIC (ONE REQUIRED)			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Manual Angle Change	M	N/A	INCL
Hydraulic Angle Change with electric valve—12-volt	H	22 lbs	CALL
Hydraulic Angle Change with electric valve—24-volt	H2	22 lbs	CALL
Hydraulic Angle Change Cylinder and 72" Hoses only	H3	10 lbs	CALL
Hydraulic Angle Change Cylinder and 144" Hoses only	H4	20 lbs	CALL
Hydraulic Angle Change Cylinder Only	H5	17 lbs	CALL
GROUP 3 - HYDRAULIC CONTROL OPTIONS (ONE REQUIRED)			
Control box with power lead	28-10754	5 lbs	CALL
Control box with wire harness for Cat pre-B (8 pin Deutsch)	07-10021	5 lbs	CALL
Control box with wire harness for standard flow attachments on Cat B and C (8 pin Deutsch)	07-10122	5 lbs	CALL
Control box with wire harness for high flow attachments on Cat B and C (8 pin Deutsch)	07-10170	5 lbs	CALL
Control box with wire harness for CNH, Bobcat and JCB (14 pin Deutsch)	LAF9360	5 lbs	CALL
Control box with wire harness for CNH (8 pin rectangular)	LAF9393	5 lbs	CALL
Control box with wire harness for John Deere (3 pin Deutsch)	07-7338	5 lbs	CALL
Control box with wire harness for John Deere 8-button (14 pin Deutsch)	LA9361	5 lbs	CALL
Control box with wire harness for John Deere EH control (14 pin Deutsch)	03-10057	5 lbs	CALL
Control box with wire harness for Komatsu (14 pin Deutsch)	07-10194	5 lbs	CALL
Control box with wire harness for Komatsu (8 pin Deutsch)	07-10057	5 lbs	CALL
60" of extra cable for H or H2	07-7887	2 lbs	CALL
GROUP 4 - MOUNTING (ONE REQUIRED)			
Universal skid steer mounting SAE J2513	22	NA	INCL

Note: Product not in stock is subject to freight charges.



QCSS SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
OPTIONS			
Sight indicator flag	11-5897		CALL
Sight indicator ball	28-9965		CALL
Pump filter nozzles sprinkler system fits all nozzles mounts to hood, no tank	28-9919		CALL
Sprinkler system tank 25 gallon with shutoff	28-4319		CALL
180 hood factory installed for 5ft	28-10311-5		CALL
180 hood factory installed for 6ft	28-10311-6		CALL
180 hood factory installed for 7ft	28-10311-7		CALL
180 hood factory installed for 8ft	28-10311-8		CALL
180 hood field installed for 5ft	28-10361-5		CALL
180 hood field installed for 6ft	28-10361-6		CALL
180 hood field installed for 7ft	28-10361-7		CALL
180 hood field installed for 8ft	28-10361-8		CALL
5 ft Drape deflector factory installed includes 180 hood	28-10312-5		CALL
6 ft Drape deflector factory installed includes 180 hood	28-10312-6		CALL
7 ft Drape deflector factory installed includes 180 hood	28-10312-7		CALL
8 ft Drape deflector factory installed includes 180 hood	28-10312-8		CALL
5 ft Drape deflector field installed includes 180 hood	28-10362-5		CALL
6 ft Drape deflector field installed includes 180 hood	28-10362-6		CALL
7 ft Drape deflector field installed includes 180 hood	28-10362-7		CALL
8 ft Drape deflector field installed includes 180 hood	28-10362-8		CALL

Note: Product not in stock is subject to freight charges.



www.paladinlightconstructiongroup.com

SB HOPPER SWEEPER

Front-Mount Collector Sweeper for Skid-Steer, hydraulic pick up sweeper
Includes 26" diameter bi-directional brush, direct-mount motor and bucket style hopper. Sweeper includes a universal SSL quick-attach and is dumped by lifting loader arms. PSI range 2000-3500.



Specifications	Overall Width	Hopper Capacity
5 ft hydraulic drive head	66"	13.9 ft³
5 ft hydraulic drive head	78"	16.8 ft³
5 ft hydraulic drive head	90"	19.8 ft³

GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
GPM range 10-18			
SB hopper 5 ft hydraulic drive brush head - all polypropylene brush	20559P	808 lbs	CALL
SB hopper 6 ft hydraulic drive brush head - all polypropylene brush	20571P	916 lbs	CALL
SB hopper 7 ft hydraulic drive brush head - all polypropylene brush	20583P	1033 lbs	CALL
GPM range 15-25			
SB hopper 5 ft hydraulic drive brush head - all polypropylene & wire brush	20559M	808 lbs	CALL
SB hopper 6 ft hydraulic drive brush head - all polypropylene & wire brush	20571M	916 lbs	CALL
SB hopper 7 ft hydraulic drive brush head - all polypropylene & wire brush	20583M	1033 lbs	CALL
Cold Planer Special Sweepers - use after milling - Heavier design with center brushes densely packed			
Brush Head - All Polypropylene - 5 ft GPM range 15-25			
Inches of densely-packed center brushes			
16" - 36" (16", 18", 24", 30", 36")	Specify inches		\$ 940.00
>36" (40", 48", 60", 72", 84")	Specify inches		\$ 1,410.00

Note: Product not in stock is subject to freight charges.



SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

SB HOPPER SWEEPER

GROUP 2 - MOUNTING (ONE REQUIRED)			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Universal skid steer mounting SAE J2513	0022	N/A	INCL
REPLACEMENT			
0.5" x 4.0" edge for 60" bucket (11.25" bolt spacing)	28-10370-5	65 lbs	CALL
0.5" x 4.0" edge for 72" bucket (11.25" bolt spacing)	28-10370-6	77 lbs	CALL
0.5" x 4.0" edge for 84" bucket (11.25" bolt spacing)	28-10370-7	90 lbs	CALL
HEAVY DUTY			
0.63" x 6.0" edge for 60" bucket (11.25" bolt spacing)	28-10722-5	65 lbs	CALL
0.63" x 6.0" edge for 60" bucket (11.25" bolt spacing)	28-10722-6	77 lbs	CALL
063" x 6.0" edge for 60" bucket (11.25" bolt spacing)	28-10722-7	90 lbs	CALL
OPTIONS			
Heavy duty bucket option	-022HD	varies	CALL
Sprinkler kit without tank	20001	31 lbs	CALL
Sprinkler kit includes 25 gallon tank	20002	47 lbs	CALL
Gutter brush kit poly brush	28-10323-P	89 lbs	CALL
Gutter brush kit wire brush	28-10323-W	95 lbs	CALL
Gutter brush kit poly brush	28-10327-P	89 lbs	CALL
Gutter brush kit wire brush	28-10327-W	95 lbs	CALL

Note: Product not in stock is subject to freight charges.



VRS SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com



Heavy-Duty Dump Bucket Broom (Vacuum-Ready) for Skid-Steer Loaders, hydraulic pick-up sweeper.

Includes 26" diameter brush, direct-mount 15-25 gpm motor and front caster for better ground following and bucket style hopper. Sweeper includes a universal SSL quick-attach. A high dump feature is standard with the sweeping body held clear of the dumping hopper bucket as the loader arms are raised and tilted.

GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
VRS 5 ft hydraulic drive brush head - all polypropylene brush	VRS5P	1201 lbs	CALL
VRS 6 ft hydraulic drive brush head - all polypropylene brush	VRS6P	1294 lbs	CALL
VRS 7 ft hydraulic drive brush head - all polypropylene brush	VRS7P	1385 lbs	CALL
VRS 5 ft hydraulic drive brush head - all polypropylene & wire brush	VRS5M	1201 lbs	CALL
VRS 6 ft hydraulic drive brush head - all polypropylene & wire brush	VRS6M	1294 lbs	CALL
VRS 7 ft hydraulic drive brush head - all polypropylene & wire brush	VRS7M	1385 lbs	CALL
GROUP 2 - MOUNTING (ONE REQUIRED)			
Universal skid steer mounting SAE J2513	22	N/A	INCL
Note: some skid steer loaders require special brackets supplied by the OEM manufacturer to attach the chains for the high dump feature. Check with the skid steer dealer for information on brackets required.			
OPTIONS			
Sprinkler kit without tank	28-9140	31 lbs	CALL
Sprinkler kit includes 25 gallon tank 12 volt - factory installed	28-10136	47 lbs	CALL
Sprinkler kit includes 25 gallon tank 24 volt - factory installed	28-10137	47 lbs	CALL
Sprinkler kit includes 25 gallon tank 12 volt - field installed	28-9139	47 lbs	CALL
Sprinkler kit includes 25 gallon tank 24 volt - field installed	28-9193	47 lbs	CALL
Gutter brush assembly poly - factory installed	28-10323-P	90 lbs	CALL
Gutter brush assembly wire - factory installed	28-10323-W	90 lbs	CALL
Dual gutter brush assembly poly - factory installed	28-10324-P	180 lbs	CALL
Dual gutter brush assembly wire - factory installed	28-10324-W	180 lbs	CALL
Gutter brush assembly poly - field installed	28-10327-P	90 lbs	CALL
Gutter brush assembly wire - field installed	28-10327-W	90 lbs	CALL
VRS-5 field installed vacuum dust suppression system	28-10280-5	150 lbs	CALL
VRS-6 field installed vacuum dust suppression system	28-10280-6	160 lbs	CALL
VRS-7 field installed vacuum dust suppression system	28-10280-7	170 lbs	CALL

Note: Product not in stock is subject to freight charges.



VS SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

Heavy-Duty Dump Bucket Broom with Vacuum Dust Abatement for Skid-Steer Loaders, hydraulic pick-up sweeper. Includes a Vacuum Dust Abatement System that significantly reduces visible dust when sweeping and eliminates the need for water dust abatement systems. Includes 26" diameter brush, direct-mount 15-25 gpm motor and front caster for better ground following and bucket style hopper. Sweeper includes a universal SSL quick-attach. A high dump feature is standard with the sweeping body held clear of the dumping hopper bucket as the loader arms are raised and tilted.



GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
VS 5 ft hydraulic drive brush head - all polypropylene brush	VS5P	1301 lbs	CALL
VS 6 ft hydraulic drive brush head - all polypropylene brush	VS6P	1394 lbs	CALL
VS 7 ft hydraulic drive brush head - all polypropylene brush	VS7P	1488 lbs	CALL
VS 5 ft hydraulic drive brush head - all polypropylene & wire brush	VS5M	1301 lbs	CALL
VS 6 ft hydraulic drive brush head - all polypropylene & wire brush	VS6M	1394 lbs	CALL
VS 7 ft hydraulic drive brush head - all polypropylene & wire brush	VS7M	1488 lbs	CALL
GROUP 2 - MOUNTING (ONE REQUIRED)			
Universal skid steer mounting SAE J2513	22	N/A	INCL
Note: some skid steer loaders require special brackets supplied by the OEM manufacturer to attach the chains for the high dump feature. Check with the skid steer dealer for information on brackets required.			
GROUP 3 - FILTER SHAKER CONTROL SWITHC (ONE REQUIRED)			
Control box with power lead	28-10754	5 lbs	CALL
Control wire harness for Bobcat, Case & New Holland 14 pin	LAF9360	5 lbs	CALL
Control wire harness for Case 8 pin	LAF9393	5 lbs	CALL
Control wire harness for Komatsu 8 pin	07-10057	5 lbs	CALL
Control wire harness for Cat 8 pin	07-10021	5 lbs	CALL
Control wire harness for John Deere 14 pin	LAF9361	5 lbs	CALL
Control wire harness for John Deere 3 pin	07-7338	5 lbs	CALL
5 ft of extra cable	07-7155	2 lbs	CALL
OPTIONS			
Replacement vacuum filter (note: vacuum should not be used when operating gutter brooms)	07-6679	N/A	CALL
Gutter brush assembly poly - factory installed	28-10323-P	90 lbs	CALL
Gutter brush assembly wire - factory installed	28-10323-W	90 lbs	CALL
Dual gutter brush assembly poly - factory installed	28-10324-P	180 lbs	CALL
Dual gutter brush assembly wire - factory installed	28-10324-W	180 lbs	CALL
Gutter brush assembly poly - field installed	28-10327-P	90 lbs	CALL
Gutter brush assembly wire - field installed	28-10327-W	90 lbs	CALL

Note: Product not in stock is subject to freight charges.



QCTL SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com



Loader-Mount Hydraulic Drive for Utility Tractors, Backhoes, Telehandlers and Compact Wheel Loaders, hydraulic drive sweeper. Includes 32" diameter brush with quick-change core, with various quick attach & direct pin-on options available. Designed for Utility Tractors, Backhoes, Telehandlers and Compact Wheel Loaders with a hydraulic flow of 10 to 36 GPM at 2000 to 3500 PSI.

GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Single Motor - 10-18 gpm, 2000-3500 psi			
QC 5 FT Hydraulic drive brush head - all polypropylene brush	22059P	793 lbs	CALL
QC 6 FT Hydraulic drive brush head - all polypropylene brush	22071P	852 lbs	CALL
QC 7 FT Hydraulic drive brush head - all polypropylene brush	22083P	915 lbs	CALL
7644.00QC 5 FT Hydraulic drive brush head - all polypropylene & wire brush	22059M	793 lbs	CALL
QC 6 FT7644.00 Hydraulic drive brush head - all polypropylene & wire brush	22071M	852 lbs	CALL
QC 7 FT Hydrau8310.00lic drive brush head - all polypropylene & wire brush	22083M	915 lbs	CALL
Single Motor - 12-25 gpm, 2000-3000 psi			
QC 5 FT Hydraulic drive brush head - all polypropylene brush	22060P	831 lbs	CALL
QC 6 FT Hydraulic drive brush head - all polypropylene brush	22072P	890 lbs	CALL
QC 7 FT Hydraulic drive brush head - all polypropylene brush	22084P	953 lbs	CALL
QC 8 FT Hydraulic drive brush head - all polypropylene brush	22096P	1020 lbs	CALL
QC 5 FT Hydraulic drive brush head - all polypropylene & wire brush	22060M	831 lbs	CALL
QC 6 FT Hydraulic drive brush head - all polypropylene & wire brush	22072M	890 lbs	CALL
QC 8 FT Hydraulic drive brush head - all polypropylene & wire brush	22084M	953 lbs	CALL
QC 8 FT Hydraulic drive brush head - all polypropylene & wire brush	22096M	1020 lbs	CALL
Dual Motor - 20-36 gpm, 2000-3500 psi			
QC 5 FT Hydraulic drive brush head - all polypropylene brush	22061P	831 lbs	CALL
QC 6 FT Hydraulic drive brush head - all polypropylene brush	22073P	890 lbs	CALL
QC 7 FT Hydraulic drive brush head - all polypropylene brush	22085P	953 lbs	CALL
QC 8 FT Hydraulic drive brush head - all polypropylene brush	22097P	1020 lbs	CALL
QC 5 FT Hydraulic drive brush head - all polypropylene & wire brush	22061M	831 lbs	CALL
QC 6 FT Hydraulic drive brush head - all polypropylene & wire brush	22073M	890 lbs	CALL
QC 7 FT Hydraulic drive brush head - all polypropylene & wire brush	22085M	953 lbs	CALL
QC 8 FT Hydraulic drive brush head - all polypropylene & wire brush	22097M	1020 lbs	CALL

Note: Product not in stock is subject to freight charges.



QCTL SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

GROUP 2 - ANGLE TYPE MANUAL OR HYDRAULIC			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Manual Angle Change	M	N/A	INCL
Hydraulic Angle Change with electric valve—12-volt	H	22 lbs	CALL
Hydraulic Angle Change with electric valve—24-volt	H2	22 lbs	CALL
Hydraulic Angle Change Cylinder and 72" Hoses only	H3	10 lbs	CALL
Hydraulic Angle Change Cylinder and 144" Hoses only	H4	20 lbs	CALL
Hydraulic Angle Change Cylinder only	H5	17 lbs	CALL
Control box with power lead	28-10754	5 lbs	CALL
5 ft extra cable	07-7155	2 lbs	CALL
OPTIONS			
Sight indicator flag	11-5897	10 lbs.	CALL
Sight indicator balls	28-9965	10 lbs.	CALL
Independent hydraulic system pump (rear PTO tank mount to 3-Point 20 GPM with pressure relief valve)	11-7691	150 lbs	CALL
Quick coupler kit for 3-point hydraulic system	28-10014	24 lbs	CALL
Pump filter nozzles sprinkler system fits all nozzles mounts to hood	28-9919	25 lbs.	CALL
Sprinkler system tank 25 gallon with mounting and shutoff	28-4319	75 lbs.	CALL
180 hood factory installed 5ft	28-10311-5	50 lbs	CALL
180 hood factory installed 6ft	28-10311-6	55 lbs.	CALL
180 hood factory installed 7ft	28-10311-7	60 lbs.	CALL
180 hood factory installed 8ft	28-10311-8	65 lbs.	CALL
180 hood field installed 5ft	28-10361-5	50 lbs.	CALL
180 hood field installed 6ft	28-10361-6	55 lbs	CALL
180 hood field installed 7ft	28-10361-7	60 lbs	CALL
180 hood field installed 8ft	28-10361-8	65 lbs	CALL
5ft Drape Deflector includes 180 hood factory installed	28-10312-5	65 lbs	CALL
6ft Drape Deflector includes 180 hood factory installed	28-10312-6	70 lbs.	CALL
7ft Drape Deflector includes 180 hood factory installed	28-10312-7	75 lbs.	CALL
8ft Drape Deflector includes 180 hood factory installed	28-10312-8	80 lbs.	CALL
5ft Drape Deflector includes 180 hood field installed	28-10362-5	65 lbs.	CALL
6ft Drape Deflector includes 180 hood field installed	28-10362-6	70 lbs	CALL
7ft Drape Deflector includes 180 hood field installed	28-10362-7	75 lbs	CALL
8ft Drape Deflector includes 180 hood field installed	28-10362-8	80 lbs	CALL

Note: Product not in stock is subject to freight charges.



CS SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

Loader Mounted Collector Sweeper for Skid-Steers, TLB's, Compact Wheel Loaders, Wheel Loaders and Mid to large Utility Tractors with Loaders, Hydraulic Bucket Sweeper Includes 26" or 32" diameter brush with quick-change core., casters and parallel arm mounting to follow ground contour. Various quick-attach and direct pin-on options available. Mounts to loader arms. High dump features allows dumping to the height of the loader lift. Hydraulic flow of 20 to 50 GPM at 2000 to 3500 PSI.



GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
26" Diameter Head - Single Motor - 15-25 gpm Note: 6 ft sweepers require min 2500 lb lift capacity ; 7-9 ft sweepers are not available for Skid-Steers			
CS26 6 ft hydraulic bucket sweeper brush head - all polypropylene brush - 87" wide - 0.4 yd ³ hopper capacity	20372P	1000 lbs	CALL
CS26 7 ft hydraulic bucket sweeper brush head - all polypropylene brush - 99" wide - 0.53 yd ³ hopper capacity	20384P	1220 lbs	CALL
CS26 8 ft hydraulic bucket sweeper brush head - all polypropylene brush - 111" wide - 0.61 yd ³ hopper capacity	20396P	1440 lbs	CALL
CS26 6 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 87" wide - 0.4 yd ³ hopper capacity	20372M	1000 lbs	CALL
CS26 7 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 99" wide - 0.53 yd ³ hopper capacity	20384M	1220 lbs	CALL
CS26 8 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 111" wide - 0.61 yd ³ hopper capacity	20396M	1440 lbs	CALL
26" Diameter Head - Dual Motor - 26-50 gpm			
CS26 6 ft hydraulic bucket sweeper brush head - all polypropylene brush - 87" wide - 0.4 yd ³ hopper capacity	20373P	1030 lbs	CALL
CS26 7 ft hydraulic bucket sweeper brush head - all polypropylene brush - 99" wide - 0.53 yd ³ hopper capacity	20385P	1250 lbs	CALL
CS26 8 ft hydraulic bucket sweeper brush head - all polypropylene brush - 111" wide - 0.61 yd ³ hopper capacity	20397P	1470 lbs	CALL
CS26 6 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 87" wide - 0.4 yd ³ hopper capacity	20373M	1030 lbs	CALL
CS26 7 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 99" wide - 0.53 yd ³ hopper capacity	20385M	1250 lbs	CALL
CS26 8 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 111" wide - 0.61 yd ³ hopper capacity	20397M	1470 lbs	CALL
32" Diameter Head - Dual Motor - 26-50 gpm			
CS26 8 ft hydraulic bucket sweeper brush head - all polypropylene brush - 111" wide - 0.94 yd ³ hopper capacity	20497P	1735 lbs	CALL
CS26 9 ft hydraulic bucket sweeper brush head - all polypropylene brush - 123" wide - 1.02 yd ³ hopper capacity	20409P	1948 lbs	CALL
CS26 8 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 111" wide - 0.94 yd ³ hopper capacity	20497M	1735 lbs	CALL
CS26 9 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 123" wide - 1.02 yd ³ hopper capacity	20409M	1948 lbs	CALL
GROUP 2 - MOUNTING (ONE REQUIRED)			
Various quick-attaches	varies	125 lbs	VARIABLES

Note: Product not in stock is subject to freight charges.



CS SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

OPTIONS			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
3 ft CS hose kit .75" hoses FFS hose ends	28-10148-3	20 lbs	CALL
6 ft CS hose kit .75" hoses FFS hose ends	28-10148-6	23 lbs	CALL
9 ft CS hose kit .75" hoses FFS hose ends	28-10148-9	26 lbs	CALL
12 ft CS hose kit .75" hoses FFS hose ends	28-10148-12	29 lbs	CALL
Independent hydraulic system pump drive from rear PTO tank mount to 3-Point 20 gpm with pressure relief	11-7691	150 lbs	CALL
Sprinkler kit no tank includes pump, filter, nozzles, 12 volt - factory installed	28-10114	30 lbs	CALL
Sprinkler kit no tank includes pump, filter, nozzles, 24 volt - factory installed	28-10115	30 lbs	CALL
Sprinkler kit no tank includes pump, filter, nozzles, 12 volt - field installed	28-9919	30 lbs	CALL
Sprinkler kit no tank includes pump, filter, nozzles, 24 volt - field installed	28-10116	30 lbs	CALL
Sprinkler kit includes 85 gallon tank, 12 volt (only available for use with CS32) - factory installed	28-10153	130 lbs	CALL
Sprinkler kit includes 85 gallon tank, 24 volt (only available for use with CS32) - factory installed	28-10156	130 lbs	CALL
Sprinkler kit includes 25 gallon tank 12 volt - field installed	28-9139	47 lbs	CALL
Sprinkler kit includes 25 gallon tank 24 volt - field installed	28-9193	47 lbs	CALL
Gutter brush single assembly poly - factory installed	28-10118	90 lbs	CALL
Gutter brush dual assembly poly - factory installed	28-10120	180 lbs	CALL
Gutter brush single assembly wire - factory installed	28-10117	90 lbs	CALL
Gutter brush dual assembly wire - factory installed	28-10119	180 lbs	CALL

Note: Product not in stock is subject to freight charges.



VCS SWEEPER

**SWEEPSTER
U.S. PRODUCT**

www.paladinlightconstructiongroup.com

Loader Mounted Collector Sweeper with Vacuum Dust Suppression for TLB's, Compact Wheel Loaders, Wheel Loaders and Mid to large Utility Tractors with Loaders, Hydraulic Bucket Sweeper

Includes a Vacuum dust suppression system that significantly reduces visible dust when sweeping and eliminates the need for water dust suppression systems.

Includes 26" or 32" diameter brush with quick-change core., casters and parallel arm mounting to follow ground contour. Various quick-attach and direct pin-on options available. Mounts to loader arms. High dump features allows dumping to the height of the loader lift. Hydraulic flow



GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
26" Diameter Head - Single Motor - 15-25 gpm Note: 6 ft sweepers require min 2500 lb lift capacity			
VCS26 6 ft hydraulic bucket sweeper brush head - all polypropylene brush - 87" wide - 0.4 yd ³ hopper capacity	20374P	1100 lbs	CALL
VCS26 7 ft hydraulic bucket sweeper brush head - all polypropylene brush - 99" wide - 0.53 yd ³ hopper capacity	20386P	1320 lbs	CALL
VCS26 8 ft hydraulic bucket sweeper brush head - all polypropylene brush - 111" wide - 0.61 yd ³ hopper capacity	20398P	1540 lbs	CALL
VCS26 6 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 87" wide - 0.4 yd ³ hopper capacity	20374M	1100 lbs	CALL
VCS26 6 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 99" wide - 0.53 yd ³ hopper capacity	20386M	1320 lbs	CALL
VCS26 6 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 111" wide - 0.61 yd ³ hopper capacity	20398M	1540 lbs	CALL
26" Diameter Head - Dual Motor - 26-50 gpm			
VCS26 6 ft hydraulic bucket sweeper brush head - all polypropylene brush - 87" wide - 0.4 yd ³ hopper capacity	20375P	1130 lbs	CALL
VCS26 7 ft hydraulic bucket sweeper brush head - all polypropylene brush - 99" wide - 0.53 yd ³ hopper capacity	20387P	1350 lbs	CALL
VCS26 8 ft hydraulic bucket sweeper brush head - all polypropylene brush - 111" wide - 0.61 yd ³ hopper capacity	20399P	1670 lbs	CALL
VCS26 6 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 87" wide - 0.4 yd ³ hopper capacity	20375M	1130 lbs	CALL
VCS26 7 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 99" wide - 0.53 yd ³ hopper capacity	20387M	1350 lbs	CALL
VCS26 8 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 111" wide - 0.61 yd ³ hopper capacity	20399M	1670 lbs	CALL
32" Diameter Head - Dual Motor - 26-50 gpm			
VCS26 8 ft hydraulic bucket sweeper brush head - all polypropylene brush - 111" wide - 0.94 yd ³ hopper capacity	20499P	1835 lbs	CALL
VCS26 9 ft hydraulic bucket sweeper brush head - all polypropylene brush - 123" wide - 1.02 yd ³ hopper capacity	20411P	2048 lbs	CALL
VCS26 8 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 111" wide - 0.94 yd ³ hopper capacity	20499M	1835 lbs	CALL
VCS26 9 ft hydraulic bucket sweeper brush head - all polypropylene & wire brush - 123" wide - 1.02 yd ³ hopper capacity	20411M	2048 lbs	CALL
GROUP 2 - MOUNTING (ONE REQUIRED)			
Various quick-attaches	varies	125 lbs	VARIES

Note: Product not in stock is subject to freight charges.



SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

VCS SWEEPER

OPTIONS			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Replacement vacuum filter	07-6679	N/A	CALL
3 ft CS hose kit .75" hoses FFS hose ends	28-10148-3	20 lbs	CALL
6 ft CS hose kit .75" hoses FFS hose ends	28-10148-6	23 lbs	CALL
9 ft CS hose kit .75" hoses FFS hose ends	28-10148-9	26 lbs	CALL
12 ft CS hose kit .75" hoses FFS hose ends	28-10148-12	29 lbs	CALL
Independent hydraulic system pump drive from rear PTO tank mount to 3-Point 20 gpm with pressure relief	11-7691	150 lbs	CALL
Gutter brush single assembly poly - factory installed	28-10118	90 lbs	CALL
Gutter brush dual assembly poly - factory installed	28-10120	180 lbs	CALL
Gutter brush single assembly wire - factory installed	28-10117	90 lbs	CALL
Gutter brush dual assembly wire - factory installed	28-10119	180 lbs	CALL

Note: Product not in stock is subject to freight charges.



SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

LA SWEEPER



Front-Mount Hydraulic Drive for Trucks, Tractors & Large Loaders, front-mount hydraulic drive. Includes 32" diameter brush with quick-change core. Various quick-attach and direct pin-on options available. Mounts to loader arms, truck plow hitch or tractor 3-Point with hydraulic flow of 20 to 36 GPM at 2000 to 3500 PSI.

GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
QC 8 FT Hydraulic Drive Brush Head - all polypropylene brush	22197P	1612 lbs	CALL
QC 9 FT Hydraulic Drive Brush Head - all polypropylene brush	22109P	1682 lbs	CALL
QC 8 FT Hydraulic Drive Brush Head - all polypropylene & wire brush	22197M	1612 lbs	CALL
QC 9FT Hydraulic Drive Brush Head - all polypropylene & wire brush	22109M	1682 lbs	CALL
GROUP 2 - ANGLE TYPE MANUAL OR HYDRAULIC (ONE REQUIRED)			
Manual angle change	M	15 lbs	CALL
Hydraulic angle change with electric valve - 12 volt electric valve and control	H	40 lbs	CALL
Hydraulic angle change with electric valve - 24 volt electric valve and control	H2	40 lbs	CALL
Hydraulic angle change cylinder and 72" hoses only	H3	10 lbs	CALL
Hydraulic angle change cylinder and 144" hoses no valve	H4	30 lbs	CALL
Hydraulic angle change cylinder only	H5	17 lbs	CALL
5 FT extra cable	07-7155	2 lbs	CALL
GROUP 3 - MOUNTING (ONE REQUIRED)			
Mounting assembly	LAF1661	N/A	VARIES
OPTIONS			
Storage stands	28-10397	60 lbs	INCL
Sight indicator flags	11-5897	10 lbs	CALL
Sight indicators red balls	28-9965	10 lbs	CALL
Swing etc with heavy-duty tapered roller bearing casters	TRC	N/A	CALL
Swing etc with heavy-duty solid caster wheels	SC	30 lbs	CALL
Sprinkler system fits all nozzles and mounts to hood 12 volt	28-10114	24 lbs	CALL
Sprinkler system fits all nozzles and mounts to hood 24 volt	28-10115	25 lbs	CALL
Sprinkler system tank 25 gallon with mounting and shutoff	28-9524	75 lbs	CALL
Sprinkler system tank 85 gallon with mounting and shutoff	28-4318	125 lbs	CALL

Note: Product not in stock is subject to freight charges.



SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

LA SWEEPER

OPTIONS			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Independent hydraulic system pump drive from rear PTO tank mount to 3-Point 20 GPM with pressure relief	11-7691	150 lbs	CALL
Quick coupler kit for 3-point hydraulic system	28-10014	24 lbs	CALL
180 hood factory installed for QC-8	28-10311-8	65 lbs	CALL
180 hood factory installed for QC-9	28-10311-9	70 lbs	CALL
180 hood field installed for QC-8	28-10361-8	65 lbs	CALL
180 hood field installed for QC-9	28-10361-9	70 lbs	CALL
Drape deflector incl. 180 hood ext. factory installed for QC-8	28-10312-8	80 lbs	CALL
Drape deflector incl. 180 hood ext. factory installed for QC-9	28-10312-9	85 lbs	CALL
Drape deflector incl. 180 hood ext. field installed for QC-8	28-10362-8	80 lbs	CALL
Drape deflector incl. 180 hood ext. field installed for QC-9	28-10362-9	85 lbs	CALL

Note: Product not in stock is subject to freight charges.



SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

WLA SWEEPER

Front-Mount Hydraulic Drive for Large Articulated Loaders with 2 yd to 5 yd Capacity & Large Highway Trucks, front-mount hydraulic drive. Includes 36" diameter brush with quick-change core, casters and parallel arm mounting to follow ground contour. . Various quick-attach and direct pin-on options available. Mounts to loader arms, truck plow hitch or tractor 3-Point. Dual motors. Hydraulic flow of 12 to 60 GPM at 2000 to 4500 PSI.



GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
GPM range 12-30, PSI range 3000-4500			
WLA 10 FT Hydraulic Drive Brush Head - all polypropylene brush	21319P	1943 lbs	CALL
WLA 12 FT Hydraulic Drive Brush Head - all polypropylene brush	21343P	2332 lbs	CALL
GPM range 18-45, PSI range 2300-4000			
WLA 10 FT Hydraulic Drive Brush Head - all polypropylene & wire brush	21319M	1943 lbs	CALL
WLA 12 FT Hydraulic Drive Brush Head - all polypropylene & wire brush	21343M	2332 lbs	CALL
GPM range 24-60, PSI range 2000-3500			
WLA 10 FT Hydraulic Drive Brush Head - all polypropylene brush	21320P	1943 lbs	CALL
WLA 12 FT Hydraulic Drive Brush Head - all polypropylene brush	21344P	2332 lbs	CALL
WLA 10 FT Hydraulic Drive Brush Head - all polypropylene & wire brush	21320M	1943 lbs	CALL
WLA 12 FT Hydraulic Drive Brush Head - all polypropylene & wire brush	21344M	2332 lbs	CALL
GROUP 2 - ANGLE TYPE MANUAL OR HYDRAULIC (ONE REQUIRED)			
Manual angle change	M	15 lbs	CALL
Hydraulic angle change with electric valve - 12 volt electric valve and control	H	40 lbs	CALL
Hydraulic angle change with electric valve - 24 volt electric valve and control	H2	40 lbs	CALL
Hydraulic angle change cylinder and 72" hoses only	H3	10 lbs	CALL
Hydraulic angle change cylinder and 144" hoses no valve	H4	30 lbs	CALL
Hydraulic angle change cylinder only	H5	17 lbs	CALL
5 FT extra cable for H or H2	07-7155	2 lbs	CALL
GROUP 3 - MOUNTING (ONE REQUIRED)			
Mounting assembly	VARIES	N/A	VARIES

Note: Product not in stock is subject to freight charges.



SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

WLA SWEEPER

OPTIONS			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
Case drain kit for loaders with more than 750 psi back pressure at 250 gpm	28-10040	60 lbs	CALL
Sprinkler system tank 85 gallon with mounting and shutoff - factory installed	28-10076	125 lbs	CALL
10 ft & 12 ft sprinkler system pump, filter, nozzles, 24 volts - factory installed	28-10113	30 lbs	CALL
Sprinkler system tank 85 gallon with mounting and shutoff - field installed	28-4318	125 lbs	CALL
10 ft & 12 ft sprinkler system pump, filter, nozzles, 12 volts - field installed	28-9928	30 lbs	CALL
10 ft & 12 ft sprinkler system pump, filter, nozzles, 24 volts - field installed	28-10092	30 lbs	CALL
180 hood factory installed for WLA-10	28-10104-10	65 lbs	CALL
180 hood factory installed for WLA-12	28-10104-12	70 lbs	CALL
180 hood field installed for WLA-10	28-9932-10	65 lbs	CALL
180 hood field installed for WLA-12	28-9932-12	70 lbs	CALL
Drape deflector incl. 180 hood ext. factory installed for WLA-10	28-10093-10	80 lbs	CALL
Drape deflector incl. 180 hood ext. factory installed for WLA-12	28-10093-12	85 lbs	CALL
Drape deflector incl. 180 hood ext. field installed for WLA-10	28-9927-10	80 lbs	CALL
Drape deflector incl. 180 hood ext. field installed for WLA-12	28-9927-12	85 lbs	CALL

Note: Product not in stock is subject to freight charges.



SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

HSA SWEEPER

High Speed Front-Mount Hydraulic Drive for Large Articulated Loaders, Large Industrial or Agricultural Tractors, and Large Truck Carriers, high speed front-mount drive. Includes 336" diameter brush with quick-change core, high-speed wafers, high-speed casters, hydraulically-controlled air deflector to direct swept material, super-duty swing design, and linkage to follow ground contour. Unit standard with mounting for Cat II or Cat III 3-pt hitch, with selected quick-attach, direct pin-on, and truck hitch mountings available at additional cost.

Dual hydraulic motor drive from carrier hydraulic system with range of combinations to accommodate flow and pressures from carrier between 16-80 gpm and 2000-4000 psi. Brush speeds and available torque at brush will vary with flow and pressures available. Hydraulic angle standard. Note: hydraulic system NOT included in standard package (see Option section for optional hydraulic system if needed). Standard package presumes carrier will provide hydraulic power and control valves (3 required). Hydraulic hoses from carrier to sweeper assembly not included.

GROUP 1 - BRUSH HEAD AND BRUSH MATERIAL			
DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
GPM range 16-40, 11.9/11.9 cu in Motors			
HSA 12 ft high speed hydraulic drive brush head - all polypropylene brush	21443P	2950 lbs	CALL
HSA 14 ft high speed hydraulic drive brush head - all polypropylene brush	21467P	3450 lbs	CALL
HSA 16 ft high speed hydraulic drive brush head - all polypropylene brush	21491P	3950 lbs	CALL
GPM range 20-60, 11.9/23.9 cu in Motors			
HSA 12 ft high speed hydraulic drive brush head - all polypropylene & wire brush	21443M	3000 lbs	CALL
HSA 14 ft high speed hydraulic drive brush head - all polypropylene & wire brush	21467M	3500 lbs	CALL
HSA 16 ft high speed hydraulic drive brush head - all polypropylene & wire brush	21491M	4000 lbs	CALL
GPM range 24-80, 23.9/23.9 cu in Motors			
HSA 12 ft high speed hydraulic drive brush head - all polypropylene brush	21444P	3000 lbs	CALL
HSA 14 ft high speed hydraulic drive brush head - all polypropylene brush	21468P	3500 lbs	CALL
HSA 16 ft high speed hydraulic drive brush head - all polypropylene brush	21492P	4000 lbs	CALL
GPM range 24-80, 23.9/23.9 cu in Motors			
HSA 12 ft high speed hydraulic drive brush head - all polypropylene & wire brush	21444M	3050 lbs	CALL
HSA 14 ft high speed hydraulic drive brush head - all polypropylene & wire brush	21468M	2550 lbs	CALL
HSA 16 ft high speed hydraulic drive brush head - all polypropylene & wire brush	21492M	4050 lbs	CALL
GPM range 24-80, 23.9/23.9 cu in Motors			
HSA 12 ft high speed hydraulic drive brush head - all polypropylene brush	21445P	3050 lbs	CALL
HSA 14 ft high speed hydraulic drive brush head - all polypropylene brush	21469P	3550 lbs	CALL
HSA 16 ft high speed hydraulic drive brush head - all polypropylene brush	21493P	4050 lbs	CALL
GPM range 24-80, 23.9/23.9 cu in Motors			
HSA 12 ft high speed hydraulic drive brush head - all polypropylene & wire brush	21445M	3100 lbs	CALL
HSA 14 ft high speed hydraulic drive brush head - all polypropylene & wire brush	21469M	3600 lbs	CALL
HSA 16 ft high speed hydraulic drive brush head - all polypropylene & wire brush	21493M	4100 lbs	CALL
GROUP 2 - MOUNTING (ONE REQUIRED)			
Mounting assembly (3-PT hitch Cat II or Cat III)		N/A	INCL
Mounting assembly (general truck plow mount blank for custom modification)			CALL
Mounting assembly (specific loader, quick attach, plow hitch, as available)			VARIABLES

Note: Product not in stock is subject to freight charges.



SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

HSA SWEEPER

DESCRIPTION	ORDER CODE	WGT	LIST PRICE FRT EXTRA
OPTIONS - HYDRAULIC			
Electrical control boxes with wire harness for in-cab installation by customer to control left/right angle and up/down deflector. Includes hose replacements for brush head. Hoses are not included from hydraulic control pack to carrier. Note: this kit is Not required if optional "Hydraulic Power Pack" below is selected.			
12 VDC Brush Head	H		CALL
24 VDC Brush Head	H2		CALL
Hydraulic angle change cylinder only	H5		CALL
Hydraulic Power Pack - pto- driven 3-PT Cat II mounted hydraulic system	28-10756		CALL
Includes PTO-mounted pump, hydraulic oil cooler, and "Hydraulic Control Package" listed above. Pump output as follows:			
540 RPM Carrier PTO speed 44 gpm @3100 psi		1000 RPM Carrier PTO speed 80 gpm @ 3100 psi	

Note: Product not in stock is subject to freight charges.



SWEEPSTER
U.S. PRODUCT

www.paladinlightconstructiongroup.com

REPLACEMENT BRUSHES

18 Inch Diameter Brush Sets				
Width	Bristle Type	Sect/Set	Part #	Price/Set
51" Mechanical	Poly	24	01-0748	CALL
Mechanical	Poly/Wire	24	01-0749	CALL
WSP24 Section Set	Poly		07-7388	CALL

24 Inch Diameter Brush Sets				
Width	Bristle Type	Sect/Set	Part #	Price/Set
3' WSP36 Mechanical	Poly	18	01-1173	CALL
	Poly/Wire	18	01-1176	CALL
3' Mechanical	Poly	20	01-0012C	CALL
	Poly/Wire	20	01-0016C	CALL
4' Mechanical	Poly	24	01-0001C	CALL
	Poly/Wire	24	01-0013C	CALL
4" Hydraulic	Poly	26	01-0803	CALL
	Poly/Wire	26	01-0804	CALL
5' Mechanical	Poly	31	01-0017C	CALL
	Poly/Wire	31	01-0019C	CALL
5' Hydraulic	Poly	33	01-0805	CALL
	Poly/Wire	33	01-0806	CALL
6' Mechanical	Poly	38	01-0537C	CALL
	Poly/Wire	38	01-0539C	CALL
6' Hydraulic	Poly	40	01-0807	CALL
	Poly/Wire	40	01-0808	CALL

Note: Product not in stock is subject to freight charges.

32 Inch Diameter Brush Sets				
Width	Bristle Type	Sect/set	Part #	Price/Set
5' Mech/Hyd	Poly	29	01-0272C	CALL
	Poly/Wire	29	01-0274C	CALL
6' Mech/Hyd	Poly	35	01-0020C	CALL
	Poly/Wire	35	01-0930	CALL
7' Mech/Hyd	Poly	41	01-0079C	CALL
	Poly/Wire	41	01-0931	CALL
8' Mech/Hyd	Poly	47	01-0080C	CALL
	Poly/Wire	47	01-0933	CALL
9' Mech/Hyd	Poly	53	01-0530C	CALL
	Poly/Wire	53	01-0532C	CALL
10' Mech/Hyd	Poly	59	01-0220C	CALL
	Poly/Wire	59	01-0222C	CALL

Continued next page...

REPLACEMENT BRUSHES cont'd

PICK-UP SWEEPER MAIN BRUSH				
Bristle Type	Size	Sec/Set	Part #	Price
HB60 24" dia	Poly	35	01-0650C	CALL
	Poly/Wire	35	01-0651C	CALL
HB72 24" dia	Poly	42	01-0825	CALL
	Poly/Wire	42	01-0826	CALL
HBB60 26" dia	Poly	33	01-0873	CALL
	Poly/Wire	33	01-1156	CALL
HBB72 26" dia	Poly	39	01-0874	CALL
	Poly/Wire	39	01-1157	CALL
HBB84 26" dia	Poly	47	01-9279	CALL
	Poly/Wire	47	01-9278	CALL

Heavy Fill Brush Sections				
Bristle Type	I.D	O.D	Part #	Price
Convolutd-Wire	10"	32'	01-0740C	CALL
Flat-Wire	10"	32'	01-0739	CALL

Bobcat Brush Sections				
Bristle Type	I.D	O.D	Part #	Price
Convolutd-Poly	6.375"	22'	01-5675	CALL
Convolutd-Wire	6.375"	22'	01-0692	CALL
Flat-Poly	6.375"	22'	01-5768	CALL
Brush, Strip	8.5"		01-385	CALL
Convolutd-Poly Wire	6.375"	22"	01-0955	CALL

Individual Brush Sections				
Bristle Type	I.D	O.D	Part #	Price
Convolutd-Poly	6.375"	24"	01-5009C	CALL
Convolutd-Wire	6.375"	24"	01-0015C	CALL
Convolutd-Poly/Wire	6.375"	24"	01-0984	CALL
Convolutd-Poly	7"	24"	01-0744C	CALL
Convolutd-Wire	7"	24"	01-0745C	CALL
Flat-Poly	7"	24"	01-0783	CALL
Flat-Wire	7"	24"	01-0745	CALL
Convolutd-Wire	8"	26"	01-0848	CALL
Convolutd-Poly	8"	26"	01-5210	CALL
Convolutd-Poly/Wire	8"	26"	01-5010	CALL
Flat-Poly	10"	27"	01-1031	CALL
Flat-Wire	10"	27"	01-1032	CALL
Flat-Poly/Wire	10"	27"	01-5041P	CALL

Note: Product not in stock is subject to freight charges.



www.paladinlightconstructiongroup.com

REPLACEMENT BRUSHES

Individual Brush Sections cont'd...				
Bristle Type	I.D	O.D	Part #	Price
Convolutd-Poly	10"	32"	01-5002C	CALL
Convolutd-Wire	10"	32"	01-0006C	CALL
Convolutd-Poly/Wire	10"	32"	01-5878	CALL
Flat-Poly	10"	32"	01-5002	CALL
Flat-Wire	10"	32"	01-0006	CALL
Flat-Poly/Wire	10"	32"	01-5988	CALL
Convolutd-Poly	10"	36"	01-5003C	CALL
Convolutd-Wire	10"	36"	01-0007C	CALL
Convolutd-Poly/Wire	10"	36"	01-5014C	CALL
Flat-Poly	10"	36"	01-5003	CALL
Flat-Wire	10"	36"	01-0007	CALL
Spacer		4.4"	01-0617	CALL
Spacer		6 3/8"	01-0147	CALL
Spacer		7"	01-0829	CALL
Spacer		10"	01-0146	CALL

Pick-Up Sweeper Gutter Brush				
Width	Bristle Type	Sec/Set	Part #	Price
TR48	Poly	10	01-0034	CALL
HB, HBB60, 72 & 84, VS, CS, BS	Steel	20	01-0523	CALL
	Poly	10	01-0704	CALL
HBA	Steel	50	01-0186	CALL
	Poly	35	01-0734	CALL
SB 48, 60, 72, 84	Steel	20	01-0523	CALL
	Poly	10	01-0704	CALL
BDC62, 74, 84	Steel	20	01-0523	CALL
	Poly	10	01-0704	CALL

WLA Angle Broom				
Width	Bristle Type	Sec/Set	Part #	Price
WLA10	Poly	58	01-1212-10	CALL
	Poly/Wire	58	01-1211-10	CALL
WLA	Poly	71	01-1212-12	CALL
	Poly/Wire	71	01-1211-12	CALL

Note: Product not in stock is subject to freight charges.

REPLACEMENT BRUSHES cont'd...

26" BS/CS				
Width	Bristle Type	Sec/Set	Part #	Price
7ft	Combo	47	01-9278	CALL
	Poly	47	01-9279	CALL
8ft	Combo	53	01-9321	CALL
	poly	53	01-9322	CALL

32" BS				
Width	Bristle Type	Sec/Set	Part #	Price
8ft	Combo	49	01-9272	CALL
	Poly	49	01-9273	CALL
9ft	Combo	55	01-9319	CALL
	poly	55	01-9320	CALL

32" CS				
Width	Bristle Type	Sec/Set	Part #	Price
8ft	Combo	47	01-0933	CALL
	Poly	47	01-0080C	CALL
9ft	Combo	53	01-1148	CALL
	poly	53	01-530C	CALL

32" CS				
Width	Bristle Type	Sec/Set	Part #	Price
HBA 32" dia	Poly	42	01-0715	CALL
	Poly/Wire	42	01-0716	CALL
SB48 26" dia	Poly	28	01-0849	CALL
	Poly/Wire	28	01-1158	CALL
SB60 26" dia	Poly	34	01-0851	CALL
	Poly/Wire	34	01-1159	CALL
SB72 26" dia	Poly	38	01-0853	CALL
	Poly/Wire	38	01-1160	CALL
SB84 26" dia	Poly	47	01-9279	CALL
	Poly/Wire	47	01-9278	CALL
Tr48 24" dia	Poly	28	01-0030C	CALL
	Poly/Wire	28	01-0032C	CALL
20060 SB	Poly	35	01-1161	CALL
	Poly/Wire Mix	35	01-1167	CALL
20072 SB	Poly	41	01-1162	CALL
	Poly/Wire Mix	41	01-1168	CALL
20084 SB	Poly	49	01-1163	CALL
	Poly/Wire	49	01-1169	CALL
VRS / VS5 26" dia	Poly	33	01-0873	CALL
	Poly/Wire Mix	33	01-1156	CALL
VRS / VS6 26" dia	Poly	40	01-9370	CALL
	Poly/Wire	40	01-9371	CALL
VRS / VS7 26" dia	Poly	48	01-1163	CALL
	Poly/Wire	48	01-1169	CALL

Note: Product not in stock is subject to freight charges.

**SWEEPSTER
U.S. PRODUCT**



www.yorkmodern.com



Model YBWB



Note: Product not in stock is subject to freight charges.

MODEL YBWB - 3FT WALK BEHIND BROOM - specify brush type (poly, polywire, or all wire)			
MODEL	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
009303	YWB3 Walk Behind 3 ft Broom Briggs & Stratton Engine 5.5 HP	370 lbs	\$ 5,237.00
009303H	YWB3 Walk Behind 3 ft Broom Honda Engine 5.5 HP	370 lbs	\$ 6,072.00
000983	YBWB Hopper Attachment	68 lbs	\$ 1,377.00
MODEL YB24 - 3 PT HITCH BROOMS - specify brush type (poly, polywire, or all wire- for hydraulic drive, add \$216.00 Net to Price)			
MODEL	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
009864	YB244 3pt Hitch Mounted, 4 ft PTO Driven	465 lbs	\$ 5,924.00
009865	YB245 3pt Hitch Mounted, 5 ft PTO Driven	513 lbs	\$ 6,214.00
009866	YB246 3 pt Hitch Mounted, 6 ft PTO Driven	561 lbs	\$ 6,877.00
000995	YB24 Storage Stands - Price Per Pair	30 lbs	\$ 492.00
000770	YB24 Hydraulic Angle Kit (includes cylinder & hoses)	31 lbs	\$ 708.00
MODEL YB32 - 3 PT HITCH BROOMS - specify brush type (poly, polywire, or all wire- for hydraulic drive, add \$216.00 Net to Price)			
MODEL	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
009875	YB325 3 pt 5 ft PTO Driven Broom	636 lbs	\$ 6,035.00
009876	YB326 3 pt 6 ft PTO Driven Broom	687 lbs	\$ 6,720.00
009877	YB327 3 pt 7ft PTO Driven Broom	738 lbs	\$ 7,574.00
009878	YB328 3 pt 8 ft PTO Driven Broom	789 lbs	\$ 8,430.00
000980	YB32 Hydraulic Angle Kit (includes cylinder & hoses)	35 lbs	\$ 1,124.00



www.yorkmodern.com



**SWEEPSTER
U.S. PRODUCT**

MODEL FLB - FRONT LOADER BROOM - specify brush type (poly, polywire, or all wire)			
MODEL	DESCRIPTION	WEIGHT	FOB FACTORY
009506	FLB326 6 ft Hydraulic Driven Front Loader Mount Broom	835 lbs	\$ 8,459.00
009507	FLB327 7 ft Hydraulic Driven Front Loader Mount Broom	886 lbs	\$ 9,286.00
009508	FLB328 8 ft Hydraulic Driven Front Loader Mount Broom	937 lbs	\$ 10,120.00
000290	FLB32 Caster Wheels - Price Per Pair	72 lbs	\$ 1,508.00
000995	FLB32 Storage Stands - Price Per Pair	30 lbs	\$ 492.00
000980	FLB32 Hydraulic Angle Kit (includes cylinder & hoses)	35 lbs	\$ 1,124.00
MODEL SSAB24 - FRONT LOADER BROOM - specify brush type (poly, polywire, or all wire)			
MODEL	DESCRIPTION	WEIGHT	FOB FACTORY
009423	SSAB243 3 ft Skid Steer Hydraulic Driven Angle Broom	413 lbs	\$ 5,155.00
009424	SSAB244 4 ft Skid Steer Hydraulic Driven Angle Broom	550 lbs	\$ 6,872.00
009425	SSAB245 5 ft Skid Steer Hydraulic Driven Angle Broom	688 lbs	\$ 8,590.00
009426	SSAB246 6 ft Skid Steer Hydraulic Driven Angle Broom	739 lbs	\$ 9,438.00
000995	SSAB Storage Stands	30 lbs	\$ 492.00
000982	SSAB Hydraulic Angle Kit (includes cylinder & hoses)	50 lbs	\$ 3,197.00
MODEL SSAB32 - FRONT LOADER BROOM - specify brush type (poly, polywire, or all wire)			
MODEL	DESCRIPTION	WEIGHT	FOB FACTORY
009415	SSAB325 5 ft Skid Steer Hydraulic Driven Angle Broom	814 lbs	\$ 8,432.00
009416	SSAB326 6 ft Skid Steer Hydraulic Driven Angle Broom	865 lbs	\$ 9,284.00
009417	SSAB327 7 ft Skid Steer Hydraulic Driven Angle Broom	916 lbs	\$ 10,135.00
009418	SSAB328 8 ft Skid Steer Hydraulic Driven Angle Broom	967 lbs	\$ 10,985.00
000995	SSAB Storage Stands	30 lbs	\$ 492.00
000981	SSAB Hydraulic Angle Kit (includes cylinder & hoses)	50 lbs	\$ 3,197.00
MODEL SSPU - FRONT LOADER BROOM - specify brush type (poly, polywire, or all wire)			
MODEL	DESCRIPTION	WEIGHT	FOB FACTORY
009405	SSPU5 5 ft Skid Steer Hydraulic Driven Pick Up Broom	900 lbs	\$ 8,837.00
009406	SSPU6 6 ft Skid Steer Hydraulic Driven Pick Up Broom	1050 lbs	\$ 9,579.00
000960	SSPU Reversible Gutter Brush	103 lbs	\$ 1,767.00
000965	SSPU Hydraulic Flow Control Valve	23 lbs	\$ 670.00

Note: Product not in stock is subject to freight charges.



www.yorkmodern.com



**SWEEPSTER
U.S. PRODUCT**

MODEL TFB - FRONT LOADER MOUNTED BROOM - specify brush type (poly, polywire, or all wire)			
MODEL	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
009607	TFB327 7 FT Hydraulic Driven Truck Mounted Broom	805 lbs	\$ 14,511.00
009608	TFB328 8 ft Hydraulic Driven Truck Mounted Broom	902 lbs	\$ 15,833.00
009609	TFB329 9 ft Hydraulic Driven Truck Mounted Broom	1035 lbs	\$ 16,841.00
009610	TFB3210 10 ft Hydraulic Driven Truck Mounted Broom	1150 lbs	\$ 18,302.00
000980	TFB Hydraulic Angle Kit (includes cylinder & hoses)	35 lbs	\$ 1,124.00



MODEL HTB - 8 FT HEAVY DUTY TOW-TYPE BROOM - specify brush type (poly, polywire, or all wire)			
MODEL	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
009208	HTB8 8 ft Heavy Duty Tow-Type Manual Broom	1220 lbs	\$ 19,243.00
009008	HTB Broom Sections Only	598 lbs	\$ 10,510.00

Note: Product not in stock is subject to freight charges.



www.yorkmodern.com

**SWEEPSTER
U.S. PRODUCT**

DEFLECTORS			
MODEL	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
000914	4 FT Rubber Broom Deflector	14 lbs	\$ 243.00
000915	5 FT Rubber Broom Deflector	17 lbs	\$ 309.00
000916	6 FT Rubber Broom Deflector	20 lbs	\$ 372.00
000917	7 FT Rubber Broom Deflector	23 lbs	\$ 429.00
000918	8 FT Rubber Broom Deflector	26 lbs	\$ 492.00
000924	4 FT Top Metal Deflector	14 lbs	\$ 208.00
000925	5 FT Top Metal Deflector	17 lbs	\$ 226.00
000926	6 FT Top Metal Deflector	20 lbs	\$ 240.00
000927	7 FT Top Metal Deflector	23 lbs	\$ 257.00
000928	8 FT Top Metal Deflector	26 lbs	\$ 276.00

SPRINKLER SYSTEM FOR YB24-32/FLB/TFB/SSAB AND HTB			
MODEL	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
000930	YB32/24 Tank 25 GAL	N/A	\$ 631.00
000934	4 FT Spray System	14 lbs	\$ 850.00
000935	5FT Spray System	17 lbs	\$ 911.00
000936	6 FT Spray System	20 lbs	\$ 967.00
000937	7 FT Spray System	23 lbs	\$ 1,024.00
000938	8 FT Spray System	26 lbs	\$ 1,062.00
000940	SSPU Tank, 25 GAL	N/A	\$ 451.00
000945	5 FT Spray System	17 lbs	\$ 911.00
000946	6 FT Spray System	20 lbs	\$ 967.00

HYDRAULIC SYSTEM, PRT DRIVEN			
MODEL	DESCRIPTION	WEIGHT	LIST PRICE FRT EXTRA
000970	Independent Hyd System 540 RPM PTO (includes tank, pump, filter and 3 pt frame) hoses not included	175 lbs	\$ 4,600.00

Note: Product not in stock is subject to freight charges.